2020 Edition

FLETCHER EUROPEAN

A Quality Assured Company

ISO 9001 CERTIFIED
British Assessment Bureau

WITH OVER 100 NEW PRODUCTS

Fletcher 2020.indd 1 14/08/2019 15:53:51

Fletcher European Containers Ltd

47/51 Sanders Road,

Finedon Road Industrial Estate,

Wellingborough, Northamptonshire, NN8 4NL

Tel: 01933 440 446

sales@fletchereuropean.co.uk

© 2018, the images and text in this catalogue cannot be used by any third party without express written permission. The rotoX logo and rotoX part numbers are trade mark protected and cannot be used by any third party under any circumstances and the owner will seek legal remedy for any infringement.

FLETCHER
EUROPEAN

OUR HISTORY:

Fletcher European can follow its heritage back to 1994 when Colin Fletcher founded R.M. Industries. Starting out with only a single machine it was not long before the business was later Incorporated in 1997 and renamed Fletcher European Containers Limited.

From small beginnings the company has gone from strength to strength to become one of the largest independent manufacturers of material handling products in the United Kingdom. Although Fletcher European operate and supply to several markets, we are best known for supplying the food industry with our range of brightly coloured food bins and trolleys.

Ever ambitious, Fletcher European sought out ISO 9001 Accreditation to distinguish ourselves as a company who not only manufacture quality products but also provide a quality service throughout our company, whether this being the good working conditions for our employees or to the customer who receives a first class service when they shop through Fletcher European.

In 2010 Fletcher European were excited to takeover Hygiplas Limited and see it become part of our brand. Established in 1978, Hygiplas has a long history of supplying bakery and catering equipment and we are delighted to say that this continues to this day. The successful takeover means customers can now enjoy an ever-expanding range of products from a company operating all across the United Kingdom and beyond.

The company has been constantly growing to meet greater demand. In 2014 Fletcher European completed a large factory extension and installed a state-of-the-art carousel rotational moulding machine. The results of this have been faster delivery times, a wider selection of products and larger quantities of stock kept on site.

MADE IN GREAT BRITAIN

WHAT IS THE ROTO*X* TRADEMARK?

» RotoX is a brand of food grade premium products.

» Fletcher European is the exclusive manufacturer of RotoX products which are all made on our site in Northamptonshire.

ROTO*X*™

HOW DO WE DO IT?

1. We begin by carefully sourcing materials certified as safe for food contact and compliant with EU law - EC 1935/2011 and EU 10/2011/EC.

2. Plastic powder is then rotationally moulded at 300°C to form polyethylene products that are tough, durable and totally stress free.

3. After the product is removed from the oven, it is then trimmed and finished by hand by our skilled specialists.

» Our manufacturing process means RotoX products enjoy long life spans and are highly cost effective options for customers.

» Designed with smooth, seamless surfaces and minimal crevices to allow for easy cleaning. Ideal in high care environments such as food and pharmaceutical trades.

» Keep an eye out for the RotoX logo throughout the catalogue so you can be sure which products meet these requirements.

» Or, if you are unsure, RotoX products are easily identified by their code - beginning with RotoX.

ISO 9001 ACCREDITATION:

ISO 9001 CERTIFIED
British Assessment Bureau

» The accreditation is an internationally recognised seal of quality.

» To be eligible for this recognition, Fletcher European adheres to a strict quality manual to ensure only the highest premium products are approved for sale.

» Seeing this accreditation provides our customers with many reassurances they look for when purchasing food grade products.

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 4 14/08/2019 15:53:52

CONTENTS:

6. Meet The Team
8. Food Dispensers
12. Inter-Stacking Bins and Sieves
14. Bowls and Food Containers
16. Plastic Mobile Trucks and Eurobins
19. Chassis Trucks and Trough Units
22. Plastic Tanks, Tapered and Brute Bins
28. Hygibox and Hyginest Containers
30. European Stacking Containers
34. Uni Boxes and Special Sized Containers
36. Bale Arm and Stacknest Crates
42. Attached Lid Containers
44. Bread Baskets and Collapsible Crates
46. Confectionery and Bakery Trays
50. Trolleys and Covers
54. Dollies
60. Buckets, Scoops and Jugs
64. Graduated Storage Containers
66. Scales, Thermometers and Kitchenware
71. Anti-Microbial and Metal Detectable Products
Brushware, Paddles and Shovels .74
Waterflow Equipment .80
Mops, Squeegees and Handles .82
Spill Kits and Caution Equipment .84
Shadow Boards and Hangers .86
Stainless Steel Equipment .88
Stainless & Zinc Shelving .90
Shelving, Racking and Benches .91
Floor Matting .95
Lockers and Cabinets .96
Pallets and Pallet Boxes .102
Retention and Roll Cages .108
Handling Equipment .110
IBC and Drum Spill Containment .115
Liquid Storage Tanks .118
Waste Handling and Storage Bins .120
Bottle Skips .127
Safety Steps .128
Recycled Mobiles .130
Environmental Policy .131

DISCLAIMER:

All dimensions and capacities in this Catalogue are approximate. We reserve the right to alter specifications without prior notice. A copy of our terms and conditions is available upon request.

www.fletchereuropean.co.uk

Fletcher 2020.indd 5 14/08/2019 15:54:09

MEET THE TEAM

Managing Director

Colin Fletcher

ColinF@fletchereuropean.co.uk

Financial Director

Reena Kotecha

ReenaK@fletchereuropean.co.uk

Commercial Manager

Ben Forster

BenF@fletchereuropean.co.uk

Aftersales & Purchasing Manager

Stephen Ashmore

StephenA@fletchereuropean.co.uk

Aftersales Supervisor

Chanelle Johnson

ChanelleJ@fletchereuropean.co.uk

Outstanding Service

Tel: 01933 440 446 **sales@fletchereuropean.co.uk**

Fletcher 2020.indd 6 14/08/2019 15:54:10

THE INTERNAL SALES TEAM:

North of England, Scotland & Ireland

Michael Ward

MichaelW@fletchereuropean.co.uk

The Midlands, Mid/North Wales & Northern Ireland

Alex Brenan

AlexB@fletchereuropean.co.uk

The South of England & South Wales

Graham Gates

GrahamG@fletchereuropean.co.uk

Marketing Coordinator

Reuben David

Reuben@fletchereuropean.co.uk



HOW TO ORDER:

» Please call or email our team for a quotation.

» Credit facilities are available upon request subject to credit checking, and pro-forma invoices can be paid by cash, cheque, credit card or bank transfer.

www.fletchereuropean.co.uk

Fletcher 2020.indd 7 14/08/2019 15:54:11

DISPENSE SYSTEMS

A wide variety of dispensers and stainless steel table options allows for bespoke systems for your particular requirements.

- » Rack and dispense systems can be designed to suit individual applications.
- » Stainless steel tables can be made to order in other sizes.
- » A full labelling service is available to aid with the management of identifying contents.

ROTOX™

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 8 14/08/2019 15:54:14

FOOD INGREDIENT BINS

- Rotationally moulded from food grade polyethylene, our ingredient bins are perfect for food handling.
- The 'flip tops' are available in either a food grade clear shatter proof PETG lid, or a stainless steel lid to meet your requirements.
- Mounted on four 100 mm swivel castors as standard, they enjoy great manoeuvrability and are easily moved when full or empty.

Code	External Dimensions	Internal Dimensions	Capacity
rotoXM15	600^{L} x 355^{W} x 714^{H} mm	535^{L} x 275^{W} x 560^{H} mm	65 litres
rotoXM20	600^{L} x 455^{W} x 714^{H} mm	540^{L} x 380^{W} x 560^{H} mm	90 litres
rotoXM35	600^{L} x 555^{W} x 714^{H} mm	540^{L} x 480^{W} x 560^{H} mm	150 litres

Ingredients Capacities Guide:

	rotoXM15	rotoXM20	rotoXM35
Capacity	65 litres	90 litres	150 litres
Flour	25 kg	35 kg	58 kg
Salt	74 kg	103 kg	172 kg
Sugar	43 kg	60 kg	100 kg

www.fletchereuropean.co.uk

Fletcher 2020.indd 9 14/08/2019 15:54:17

MULTI-TROLLEYS

Stainless steel mobile frames can be supplied with 9 rotoXID8, 3 rotoXID8 and 3 rotoXTK15 or 3 rotoXM15 dispensers.

Code	Description	Capacity	External Dimensions
rotoXF8	Multi-trolley	9 x 8 litres	970^{L} x 470^{W} x 1405^{D} mm
rotoXF10	Multi-trolley	3 x 8 litres & 3 x 65 litres	1140^{L} x 600^{W} x 1406^{D} mm
rotoXF15	Multi-trolley	3 x 65 litres	1075^{L} x 600^{W} x 680^{D} mm

Tel: 01933 440 446 **sales@fletchereuropean.co.uk**

Fletcher 2020.indd 10 14/08/2019 15:54:20

TABLE TOP DISPENSERS

ROTOX™

These ingredient dispensers can be supplied in a variety of colours and are moulded in food grade polyethylene.

- » Choice of clear shatter proof PETG or stainless steel flip lids.
- » The rotoXID15 and rotoXID40 are designed for top loading and with a lower dispense feature making them ideal for ingredient rotation.
- » Full labelling available.

Any Colour

rotoXID8

rotoXID15

rotoXID40

Code	External Dimensions	Capacity
rotoXID8	400^{L} x 295^{W} x 250^{H} mm	8 litres
rotoXID15	490^{L} x 250^{W} x 500^{H} mm	15 litres
rotoXID40	630^{L} x 300^{W} x 685^{H} mm	40 litres

Ingredients Capacities Guide:

	rotoXID8	rotoXID15	rotoXID40
Capacity	8 litres	15 litres	40 litres
Flour	3 kg	5 kg	15 kg
Salt	9 kg	17 kg	46 kg
Sugar	5 kg	10 kg	26 kg

www.fletchereuropean.co.uk

Fletcher 2020.indd 11 14/08/2019 15:54:22

INTER-STACKING BINS

» Available in four standard sizes that all inter-stack, with or without lids.

» Colour coded storage scheme for food and bakery environments.

» Can be fitted with optional tag slot for improved labelling and identification.

» Full labelling service and mould in graphics available.

Ingredients Capacities Guide:

	rotoXT01	rotoXT02	rotoXT03	rotoXT04
Capacity	18 litres	31 litres	46 litres	73 litres
Currants	11 kg	17 kg	29 kg	41 kg
Fat	12 kg	25 kg	38 kg	50 kg
Flour	7 kg	14 kg	24 kg	38 kg
Sugar	12 kg	23 kg	36 kg	49 kg
Sultanas	12 kg	19 kg	31 kg	45 kg

See Pages 54-59 For Dollies

» 'TRI' segregation bins are available in two sizes for smaller storage requirements.

Code	External Dimensions	Capacity	Dolly Code	Lid Code	Internal Dividers
rotoXT01	425^{D} x 178^{H} mm	18 litres	rotoXDSB	rotoXL05	RMSBTRI1
rotoXT02	425^{D} x 300^{H} mm	31 litres	rotoXDSB	rotoXL05	RMSBTRI2
rotoXT03	425^{D} x 438^{H} mm	46 litres	rotoXDSB	rotoXL05	N/A
rotoXT04	425^{D} x 650^{H} mm	73 litres	rotoXDSB	rotoXL05	N/A

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 12 14/08/2019 15:54:28

ROTOX™

SIEVES

» Sieves can be designed to sit on top or in the bottom of any of our round containers to create a sieving unit.

» Sieves are either 'drop in' or moulded into tubs or available with lugs.

» Stainless and plastic sieves available.

» Variety of mesh sizes available from 1 to 5 mm.

Plastic Sieves

Code	Diameter	Mesh (stainless steel)
Sieve1	350mm	1mm
Sieve2	350mm	2mm
Sieve2.5	350mm	2.5mm
Sieve3	350mm	3mm
Sieve4	350mm	4mm
Sieve5	350mm	5mm

Bespoke Sieve

» Bespoke sieves can be made to suit any of our mobiles, tanks or stacking containers.

Stainless Steel Sieves

Code	Diameter	Mesh (stainless steel)
SIEVESS1	300mm	1 x 1mm
SIEVESS2.5	300mm	2.5 x 1mm
SIEVESS3	300mm	3 x 3mm
SIEVESS9	300mm	9 x 7mm

BP8 - Prover Pockets

» Allows bakeries and food manufacturing facilities to easily prove and shape their dough.

» Available in both standard and metal detectable material our prover pockets are available to suit Baker Perkins provers.

ISO 9001 Accredited

HYGIENIC STORAGE CONTAINERS

» Moulded from food grade polyethylene.

» Racks and dispense systems can be designed to suit individual applications.

ROTOX™

rotoXFB

rotoXB100

See Pages 54-59 For Dollies

Code	External Dimensions	Internal Dimensions	Capacity	Dolly Code
rotoXFB	480^{L} x 380^{W} x 270^{D} mm	400^{L} x 300^{W} x 250^{D} mm	30 litres	rotoXD38 (fits two)
rotoXB100	415^{L} x 315^{W} x 180^{D} mm	375^{L} x 275^{W} x 170^{D} mm	18 litres	rotoXD74 (fits two)

» Full labelling options are available.

rotoXFMR

rotoXFBR

Code	Description	External Dimensions
rotoXFMR	Multi-trolley - 1 x Stainless steel mobile frame with 3 x rotoXFB containers	510^{L} x 465^{W} x 1510^{D} mm
rotoXFBR	Multi-trolley - 1 x Stainless steel mobile frame with 6 x rotoXFB containers	910^{L} x 465^{W} x 1510^{D} mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 14 14/08/2019 15:54:36

MIXING BOWLS

» Food grade plastic mixing bowls are perfect for storing, handling and mixing food ingredients.

» Available with or without a plastic lid and stainless steel mobile stand.

ROTOX™

Any Colour

rotoXB19

rotoXB24STSS

rotoXB24

Code	Dimensions	Capacity	Lid Code	Stand Code	Stand Height	Stand Height (with bowl)
rotoXB19	480^D x 230^H mm	26 litres	rotoXL15	rotoXB19STSS	755 mm	850 mm
rotoXB24	640^D x 265^H mm	45 litres	rotoXL24	rotoXB24STSS	755 mm	800 mm

RM14SS

STAINLESS STEEL BOWLS

» Made from 18/10 grade stainless steel.

» Available in sizes from 2 to 14 litres.

» Stands can be made to order if required.

Code	Capacity	Dimensions
RM2SS	2 litres	195^D x 115^H mm
RM5SSB	5 litres	265^D x 130^H mm
RM8SS	8 litres	310^D x 165^H mm
RM14SS	14 litres	370^D x 200^H mm

PLASTIC MOBILE TRUCKS

ROTOX™

- » Watertight plastic mobiles moulded from tough food grade polyethylene.
- » - 30°C to 80°C temperature range.
- » rotoXM50, rotoXM70 and rotoXM100 supplied with reinforced plastic bases.
- » Hinged lids available for many sizes.
- » Recycled variants at cost effective pricing can be found on Page 130.

Code	External Dimensions	Top Internal Dimensions	Base Internal Dimensions	Load	Capacity	Lid Code	Castor Setup
rotoXM16	460^L x 460^W x 480^H mm	412^L x 412^W x 412^H mm	380^L x 380^W x 412^H mm	40 kg	72 litres	rotoXL26	4 x 50 mm swivel
rotoXM26	460^L x 460^W x 730^H mm	412^L x 412^W x 662^H mm	370^L x 370^W x 662^H mm	60 kg	118 litres	rotoXL26	4 x 50 mm swivel
rotoXM29	740^L x 585^W x 550^H mm	620^L x 475^W x 440^H mm	610^L x 460^W x 440^H mm	80 kg	132 litres	N/A	4 x 100 mm swivel
rotoXM30	620^L x 530^W x 705^H mm	552^L x 467^W x 582^H mm	520^L x 425^W x 582^H mm	120 kg	135 litres	rotoXL30	4 x 100 mm swivel
rotoXM45	825^L x 480^W x 785^H mm	740^L x 410^W x 647^H mm	700^L x 360^W x 647^H mm	150 kg	200 litres	rotoXL45	2 swivel, 2 fixed 100 mm
rotoXM50	830^L x 640^W x 740^H mm	755^L x 555^W x 600^H mm	730^L x 530^W x 600^H mm	180 kg	227 litres	rotoXL50	2 swivel, 2 fixed 100 mm
rotoXM70	1010^L x 685^W 735^H mm	903^L x 584^W x 595^H mm	840^L x 530^W x 595^H mm	220 kg	320 litres	rotoXL70	2 swivel, 2 fixed 100 mm
rotoXM100	1370^L x 775^W x 765^H mm	1225^L x 615^W x 630^H mm	1165^L x 570^W x 630^H mm	275 kg	455 litres	rotoXL100	2 swivel, 2 fixed 100 mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 16 14/08/2019 15:54:43



» Can be fitted with drainage bungs or taps.

ROTOX™

Manual handling is now an important consideration in all workplaces. We have addressed this with the new Supertuff moulded handle. Designed to suit a range of mobile tanks, it offers a number of benefits to the end-user.

- » Improved operating posture, reduces the need to bend or stoop
- » Greater and easier manoeuvrability
- » Heavy duty and durable design, moulded from tough food grade polyethylene
- » Fixings moulded into the handle reduce the number of loose fixings
- » Available in grey as standard, other colours available on request.

Stainless Steel Hinged Mobile Lids

Description	Stainless steel mobile lids	
Material	304 DP Stainless Steel	
Option	Can be manufactured to custom sizes	
Code	To Suit	L x W x H mm
rotoXSSL30	rotoXM30	630 x 546 x 25
rotoXSSL45	rotoXM45	840 x 495 x 25
rotoXSSL70	rotoXM70	1050 x 735 x 25

www.fletchereuropean.co.uk

Fletcher 2020.indd 17 14/08/2019 15:54:47

PLASTIC 200 LITRE EUROBINS

» Heavy duty plastic moulding.

» Eurobins and lids can be manufactured in any colour to accommodate colour coding requirements.

» Plastic design reduces factory noise levels.



» Stainless steel lugs can be fitted to help with lifting.

Code	Description	External Dimensions	Material	Castor Configuration	Lid Code
EB03	200 L Eurobin handle & pouring lip	811^{L} x 675^{W} x 735^{H} mm	Plastic double skinned design	4 x 150 mm fixed 'rocker system'	EBL03

STAINLESS STEEL 200 & 300 LITRE EUROBINS

» Manufactured from 304 grade stainless steel.

» Fitted with euro lifting brackets.

» Standard units have pouring lip and handle for emptying.

» Both are available with coloured lids.

» Stainless steel lids can be manufactured on request.

Code	Description	External Dimensions	Material	Castor Configuration	Lid Code
EB01	200 L Eurobin handle & pouring lip	675^{L} x 675^{W} x 700^{H} mm	304 grade stainless steel	4 x 150 mm fixed 'rocker system'	EBL03
EB02	300 L Eurobin handle & pouring lip	675^{L} x 675^{W} x 950^{H} mm	304 grade stainless steel	4 x 150 mm fixed 'rocker system'	EBL03

TROUGH UNITS

- » Food grade polyethylene troughs with stainless steel frames.
- » Available with one piece solid plastic lid.
- » Two piece stainless steel hinged lids are available on request.
- » Drainage plugs are optional - use code DP1 when you enquire.
- » RM200SS stainless trough for heavy-duty applications.

ROTOX™

Code	External Trough Dimensions	Internal Trough Dimensions	Overall Height	Capacity	Lid Code	Trough Code
rotoXF135	990^L x 540^W x 390^D mm	910^L x 460^W x 385^D mm	855 mm	130 litres	rotoXL135	rotoTR135
rotoXF180	965^L x 720^W x 465^D mm	875^L x 625^W x 460^D mm	855 mm	180 litres	rotoXL180	rotoTR180

Code	External Dimensions	Internal Dimensions	Overall Height	Capacity	Lid Code	Frame Code	Colours
CR100TRA	975^L x 500^W x 285^D mm	905^L x 435^W x 280^D mm	830 mm	100 litres	rotoXL135	TRSTANDA	White
RM200SS	1235^L x 740^W x 810^D mm	365 mm internal depth	810 mm	200 litres	N/A	N/A	Stainless Steel

POWDER COATED CHASSIS TRUCKS

- » Made out of high quality powder coated steel to produce a robust chassis truck.
- » Compatible with our food grade rotationally moulded tanks.
- » Three different sized chassis can be purchased with their respective tanks.
- » Chassis frame is designed to support heavy loads.
- » Tanks are easy to remove or mount thanks to the open ended design.
- » Large rubber tyre wheels for easy movement.
- » Replacement tanks can be purchased if required.

Code	Dimensions	Description
CT227	830^{L} x 640^{W} x 847^{H} mm	To hold 1 rotoXTK50
CT320	1010^{L} x 685^{W} x 862^{H} mm	To hold 1 rotoXTK70
CT455	1370^{L} x 775^{W} x 907^{H} mm	To hold 1 rotoXTK100

STAINLESS STEEL CHASSIS TRUCKS

All chassis trucks come as a complete unit with their respective tank!

ROTOX™

Code	External Dimensions	Internal Dimensions	Capacity	Load	Lid Code
rotoXCT30	800^{L} x 540^{W} x 700^{H} mm	552^{L} x 467^{W} x 582^{H} mm	135 litres	250 kg	rotoXL30
rotoXCT45	1000^{L} x 470^{W} x 770^{H} mm	760^{L} x 380^{W} x 546^{H} mm	200 litres	350 kg	rotoXL45

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 20 14/08/2019 15:54:56

STAINLESS STEEL CHASSIS TRUCKS

ROTOX™

- » Suitable for use within demanding industrial environments and capable of handling heavier and bulkier loads than a standard plastic truck or powder coated equivalent.
- » The tank itself is heavy duty, food grade and watertight.
- » Tanks are seamless and crevice free in design to make them easy to clean.
- » The tanks can also be adapted with drainage bungs or taps if needed.
- » Hinged lids are available for every model.
- » Chassis are fitted with four 100 mm swivel castors.

rotoXCT70

rotoXCT100

Code	External Dimensions	Internal Dimensions	Capacity	Load	Lid Code
rotoXCT70	1010^{L} x 685^{W} x 750^{H} mm	903^{L} x 584^{W} x 595^{H} mm	320 litres	400 kg	rotoXL70
rotoXCT100	1320^{L} x 735^{W} x 800^{H} mm	1225^{L} x 615^{W} x 630^{H} mm	455 litres	450 kg	rotoXL100

www.fletchereuropean.co.uk

Fletcher 2020.indd 21 14/08/2019 15:54:58

PLASTIC TANKS

- » Moulded in food grade polyethylene.
- » - 30°C to 80°C temperature range.
- » Hinged lids available for many sizes.
- » Bespoke dollies and frames can be produced – call for details.
- » Tough, durable and resistant to acids and chemicals – please ask for advice.
- » The rotoXTK10 is a minimum quantity order of 10 units.

ROTOX™

Plastic Drop On Lids

rotoXTK10

rotoXTK16

rotoXTK26

rotoXTK29

rotoXTK30

rotoXTK45

Code	External Dimensions	Top Int. Dimensions	Base Int. Dimensions	Capacity	Lid Code
rotoXTK10	365^{L} x 365^{W} x 600^{H} mm	275^{L} x 275^{W} mm	225^{L} x 225^{W} mm	45 litres	Included
rotoXTK16	460^{L} x 460^{W} x 418^{H} mm	412^{L} x 412^{W} mm	380^{L} x 380^{W} mm	72 litres	rotoXL26
rotoXTK29	750^{L} x 580^{W} x 460^{H} mm	640^{L} x 480^{W} mm	610^{L} x 460^{W} mm	132 litres	N/A
rotoXTK26	460^{L} x 460^{W} x 670^{H} mm	412^{L} x 412^{W} mm	370^{L} x 370^{W} mm	118 litres	rotoXL26
rotoXTK30	620^{L} x 530^{W} x 590^{H} mm	552^{L} x 467^{W} mm	520^{L} x 425^{W} mm	135 litres	rotoXL30
rotoXTK45	825^{L} x 480^{W} x 655^{H} mm	740^{L} x 410^{W} mm	700^{L} x 360^{W} mm	200 litres	rotoXL45
rotoXTK50	830^{L} x 640^{W} x 610^{H} mm	755^{L} x 555^{W} mm	740^{L} x 540^{W} mm	227 litres	rotoXL50

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 22 14/08/2019 15:55:03

Code	External Dimensions	Top Int. Dimensions	Base Int. Dimensions	Capacity	Lid Code
rotoXTK70	1010^{L} x 685^{W} x 625^{H} mm	903^{L} x 584^{W} mm	840^{L} x 530^{W} mm	320 litres	rotoXL70
rotoXTK100	1370^{L} x 775^{W} x 670^{H} mm	1225^{L} x 615^{W} mm	1165^{L} x 570^{W} mm	455 litres	rotoXL100

Code	External Dimensions	Capacity	Lid Code
rotoXTK15	600^{L} x 355^{W} x 575^{H} mm	65 litres	Included
rotoXTK20	600^{L} x 455^{W} x 575^{H} mm	90 litres	Included
rotoXTK35	600^{L} x 555^{W} x 575^{H} mm	150 litres	Included

» Flip top tanks are available with a clear shatter proof PETG lid or a stainless steel lid to complete the flip top feature.

TAPERED BINS

» Food grade and robust, our tapered bins are highly popular in food and pharmaceutical industries.

» Dollies available for all sizes.

RM40B

RM50B

RM75B

RM110B

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
RM40B	420^D x 445^H mm	365^D x 425^H mm	40 litres	rotoXL50	rotoXD15
RM50B	420^D x 530^H mm	365^D x 525^H mm	50 litres	rotoXL50	rotoXD10
RM75B	510^D x 530^H mm	450^D x 510^H mm	75 litres	rotoXL15	rotoXDTB
RM110B	510^D x 730^H mm	460^D x 715^H mm	110 litres	rotoXL15	rotoXDTB

MINIMUM ORDER QUANTITY BINS

rotoXB28

rotoXB30

rotoXB60

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code	Minimum Order Number
rotoXB28	565^D x 780^H mm	372^D x 772^H mm	126 litres	C20L	rotoXDTB	10
rotoXB30	540^D x 920^H mm	465^D x910^H mm	136 litres	rotoXL20	rotoXDTB	10
rotoXB60	700^D x 910^H mm	620^D x 890^H mm	273 litres	N/A	Made to order	10

Tel: 01933 440 446 sales@fletchereuropean.co.uk

» **Rotationally moulded, tough and durable bins manufactured in food grade polyethylene.**

ROTOX™

rotoXB3

rotoXB4

rotoXB5

rotoXB10

rotoXB15

rotoXB20

rotoXB25

rotoXB35



» **Stainless or galvanised handles and drainage bungs can be fitted.**

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
rotoXB3	315^{D} x 385^{H} mm	235^{D} x 380^{H} mm	14 litres	rotoXL3	Made to order
rotoXB4	315^{D} x 455^{H} mm	285^{D} x 445^{H} mm	18 litres	rotoXL4	Made to order
rotoXB5	385^{D} x 420^{H} mm	345^{D} x 415^{H} mm	23 litres	rotoXL5	rotoXD5
rotoXB10	465^{D} x 475^{H} mm	395^{D} x 460^{H} mm	45 litres	rotoXL10	rotoXD10
rotoXB15	505^{D} x 555^{H} mm	450^{D} x 550^{H} mm	68 litres	rotoXL15	rotoXDSB
rotoXB20	540^{D} x 635^{H} mm	480^{D} x 605^{H} mm	90 litres	rotoXL20	rotoXDTB
rotoXB25	590^{D} x 690^{H} mm	510^{D} x 670^{H} mm	114 litres	rotoXL25	rotoXDTB
rotoXB35	660^{D} x 690^{H} mm	575^{D} x 680^{H} mm	130 litres	rotoXL35	rotoXD35

See Pages 54-59 For Dollies

www.fletchereuropean.co.uk

Fletcher 2020.indd 25 14/08/2019 15:55:20

SQUARE BRUTE BINS

NEW PRODUCT

- » Square shape offers 14% more capacity than the round containers.
- » Tight fitting lids help to protect dry goods and other contents.
- » Nesting handles allow for secure fitting in side-by-side use.
- » Made from food grade polyethylene and certified for food contact.
- » Lids available in white or grey colours only.
- » Can be easily mounted onto a square dolly for enhanced mobility.

BRUTE151

2 Colour Options

Code	External Dimensions	Capacity	Lid Code	Dolly Code
BRUTE106	546^{L} x 546^{W} x 572^{H} mm	106 litres	BRUTE106L	BRUTEDOLSQ
BRUTE151	597^{L} x 597^{W} x 730^{H} mm	151 litres	BRUTE151L	BRUTEDOLSQ

BRUTE106

3 Colour Options

BRUTEDOLSQ

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 26 14/08/2019 15:55:21

ROUND BRUTE BINS

- » Brute bins are trusted for their iconic durability and reliability.
- » New innovative venting channels makes removing liners 50% easier.
- » Integrated clinches on the side secure liners from inside.
- » Rim features an integrated rib structure to increase strength and resist crushing.
- » A strengthened base allows the container to be dragged over rough surfaces and extend the product life span.
- » Rounded handles make lifting and moving easier, and are reinforced to resist tearing or damage from heavy loads.
- » Made from food grade polyethylene in capacities from 37 to 208 litres.
- » Available in a range of colours with an optional lid to accompany.
- » Can be easily mounted onto a round dolly for enhanced mobility.

Code	External Dimensions	Capacity	Lid Code	Dolly Code
BRUTE37	397^{D} x 435^{H} mm	37 litres	BRUTE37L	N/A
BRUTE75	495^{D} x 581^{H} mm	75 litres	BRUTE75L	BRUTEDOL
BRUTE121	559^{D} x 692^{H} mm	121 litres	BRUTE121L	BRUTEDOL
BRUTE166	610^{D} x 800^{H} mm	166 litres	BRUTE166L	BRUTEDOL
BRUTE208	673^{D} x 838^{H} mm	208 litres	BRUTE208L	BRUTEDOL

ROTOX™

Introducing the all new HYGINEST

Any Colour

NEW PRODUCT

» The Hygibox range has been specifically designed to meet the demands of the food industry. They are the most hygienic and durable stacking boxes we supply and the perfect choice for food production environments.

» This latest edition, the HYGINEST200, to the Hygibox container range is perfect for food handling and food storage applications.

» Nestable within one another when empty or stackable on top each other when full, the clever design of the Hyginest makes it the ideal food handling solution.

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
HYGINEST200	600^{L} x 400^{W} x 200^{H} mm	530^{L} x 360^{W} x 190^{H} mm	30 litres	HYGI LID	rotoXD91

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 28 14/08/2019 15:55:25

The *Original* HYGIBOX

- » Rotationally moulded for strength and durability.
- » Long lasting shatter resistant material.
- » Smooth crevice free design for easy cleaning.
- » Standard European footprint.
- » Available in any colour for both small and large quantity orders.
- » Every box is stackable with or without the lid fitted.
- » Compatible with dollies and double dollies for easy movement in the workplace.
- » Tag slots can be inserted in the lips.
- » For compatible mobile racks see Page 53.

See Pages 54-59 For Dollies



Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
HYGIBOX40	400^{L} x 300^{W} x 235^{H} mm	360^{L} x 255^{W} x 230^{H} mm	20 litres	HYGI40L	rotoXD91 (holds 2)
HYGIBOX155	600^{L} x 400^{W} x 155^{H} mm	555^{L} x 360^{W} x 144^{H} mm	30 litres	HYGIL	rotoXD91
HYGIBOX200	600^{L} x 400^{W} x 200^{H} mm	555^{L} x 360^{W} x 189^{H} mm	36 litres	HYGIL	rotoXD91
HYGIBOX	600^{L} x 400^{W} x 245^{H} mm	555^{L} x 360^{W} x 234^{H} mm	45 litres	HYGIL	rotoXD91

www.fletchereuropean.co.uk

Fletcher 2020.indd 29 14/08/2019 15:55:29

EUROPEAN STACKING CONTAINERS

» Standard European sizes for easy handling.

» Solid or perforated formats.

» Produced in food grade material.

» Lids, dollies and racks available to suit.

» Additional sizes, styles and colours available on request.

See Pages 54-59 For Dollies

21010

UK21020

21027

21030



21008



20016

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
21010	400^{L} x 300^{W} x 118^{H} mm	355^{L} x 255^{W} x 105^{H} mm	10 litres	61020	rotoXD91 holds two containers
21027	400^{L} x 300^{W} x 175^{H} mm	355^{L} x 255^{W} x 164^{H} mm	15 litres	61020	rotoXD91 holds two containers
UK21020	400^{L} x 300^{W} x 235^{H} mm	355^{L} x 255^{W} x 220^{H} mm	20 litres	61020	rotoXD91 holds two containers
21030	400^{L} x 300^{W} x 319^{H} mm	355^{L} x 255^{W} x 300^{H} mm	30 litres	61020	rotoXD91 Holds two containers
21008	600^{L} x 400^{W} x 50^{H} mm	555^{L} x 355^{W} x 40^{H} mm	8 litres	61060	rotoXD91
20016	600^{L} x 400^{W} x 120^{H} mm	555^{L} x 358^{W} x 104^{H} mm	20 litres	61060	rotoXD91

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 30 14/08/2019 15:55:30

UK21013

3 Colour Options



UK21014

3 Colour Options

UK2A021

3 Colour Options

UK2A022

3 Colour Options

20028



20029

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
UK21013	600^{L} x 400^{W} x 75^{H} mm	555^{L} x 355^{W} x 62^{H} mm	12 litres	61060	rotoXD91
UK21014	600^{L} x 400^{W} x 75^{H} mm	555^{L} x 355^{W} x 62^{H} mm	12 litres	61060	rotoXD91
UK2A021	600^{L} x 400^{W} x 120^{H} mm	555^{L} x 355^{W} x 105^{H} mm	21 litres	61060	rotoXD91
UK2A022	600^{L} x 400^{W} x 120^{H} mm	555^{L} x 355^{W} x 105^{H} mm	21 litres	61060	rotoXD91
20028	600^{L} x 400^{W} x 150^{H} mm	555^{L} x 355^{W} x 139^{H} mm	28 litres	61060	rotoXD91
20029	600^{L} x 400^{W} x 150^{H} mm	555^{L} x 355^{W} x 139^{H} mm	28 litres	61060	rotoXD91

www.fletchereuropean.co.uk

Fletcher 2020.indd 31 14/08/2019 15:55:34

UK21033

UK06032

UK2A044

UK2A045

21054



21055

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
UK21033	600^{L} x 400^{W} x 175^{H} mm	555^{L} x 355^{W} 164^{H} mm	33 litres	61060	rotoXD91
UK06032	600^{L} x 400^{W} x 170^{H} mm	555^{L} x 355^{W} x 158^{H} mm	32 litres	61060	rotoXD91
UK2A044	600^{L} x 400^{W} x 235^{H} mm	555^{L} x 355^{W} x 220^{H} mm	45 litres	61060	rotoXD91
UK2A045	600^{L} x 400^{W} x 235^{H} mm	555^{L} x 355^{W} x 220^{H} mm	45 litres	61060	rotoXD91
21054	600^{L} x 400^{W} x 280^{H} mm	555^{L} x 355^{W} x 265^{H} mm	54 litres	61060	rotoXD91
21055	600^{L} x 400^{W} x 280^{H} mm	555^{L} x 355^{W} x 255^{H} mm	52 litres	61060	rotoXD91

Tel: 01933 440 446 **sales@fletchereuropean.co.uk**

Fletcher 2020.indd 32 14/08/2019 15:55:37

21060

20085

21090

21091



21135



21162

See Pages 54-59 For Dollies

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
21060	600^{L} x 400^{W} x 319^{H} mm	555^{L} x 355^{W} x 300^{H} mm	60 litres	61060	rotoXD91
20085	600^{L} x 400^{W} x 412^{H} mm	555^{L} x 355^{W} x 394^{H} mm	75 litres	61060	rotoXD91
21090	800^{L} x 600^{W} x 235^{H} mm	755^{L} x 555^{W} x 205^{H} mm	87 litres	61086	rotoXD40
21091	800^{L} x 600^{W} x 235^{H} mm	755^{L} x 555^{W} x 205^{H} mm	87 litres	61086	rotoXD40
21135	800^{L} x 600^{W} x 319^{H} mm	755^{L} x 555^{W} x 295^{H} mm	125 litres	61086	rotoXD40
21162	800^{L} x 600^{W} x 412^{H} mm	755^{L} x 555^{W} x 382^{H} mm	162 litres	61086	rotoXD40

HYGIENIC STORAGE CONTAINERS

See Pages 54-59 For Dollies

ROTOX™

- » Versatile storage containers in a range of specialist sizes.
- » Rounded internal corners for easy cleaning.
- » Colour coded lids available for UB955, UB956, UB957, UB958.
- » rotoXB100, rotoXFB and rotoXB1915 feature heavy duty roto-moulded design for extra durability.
- » Products can be fitted complete with tag slots for product tags and labels.

rotoXB1915

Any Colour

rotoXB8

rotoXB13

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
rotoXB1915	575^{L} x 470^{W} x 194^{H} mm	482^{L} x 381^{W} x 165^{H} mm	32 litres	Included	rotoXD92
rotoXB8	460^{L} x 410^{W} x 185^{H} mm	460^{L} x 410^{W} x 185^{H} mm	26 litres	Included	On application
rotoXB13	700^{L} x 400^{W} x 300^{H} mm	700^{L} x 400^{W} x 300^{H} mm	53 litres	Included	On application

UB957

UB958

UB955

UB956

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
UB957	415^{L} x 315^{W} x 115^{H} mm	370^{L} x 285^{W} x 110^{H} mm	11 litres	UB957L	On application
UB958	415^{L} x 315^{W} x 210^{H} mm	375^{L} x 285^{W} x 205^{H} mm	21 litres	UB957L	On application
UB955	700^{L} x 450^{W} x 120^{H} mm	610^{L} x 405^{W} x 110^{H} mm	26 litres	UB956L	rotoXD92
UB956	700^{L} x 450^{W} x 230^{H} mm	610^{L} x 405^{W} x 220^{H} mm	53 litres	UB956L	rotoXD92

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 34 14/08/2019 15:55:41

UNI BOXES

» A hygienic range of Uni Boxes, or Euro-stacking containers, suitable for use in high care environments.

» Easy to clean, these boxes are widely used in food production environments.

» Labels and tagging slots are available for easy contents identification.

UB905

3 Colour Options

2 Colour Options

UB903

UB906

3 Colour Options

UB904

3 Colour Options

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
UB903	400^{L} x 300^{W} x 165^{H} mm	358^{L} x 258^{W} x 160^{H} mm	14 litres	UB903L	rotoXD92 (holds 2)
UB904	600^{L} x 400^{W} x 145^{H} mm	537^{L} x 358^{W} x 140^{H} mm	24 litres	UB905L	rotoXD92
UB905	600^{L} x 400^{W} x 225^{H} mm	537^{L} x 358^{W} x 220^{H} mm	40 litres	UB905L	rotoXD92
UB906	600^{L} x 400^{W} x 300^{H} mm	537^{L} x 358^{W} x 295^{H} mm	54 litres	UB905L	rotoXD92



E2

E2 MEAT CRATE

» Made from food grade polyethylene (HDPE) the E2 crate is suitable for the handling and storage of meats, fish, bakery and dairy products.

» Designed with minimal crevices and dirt traps and can be easily cleaned.

» Excellent temperature tolerance which is ideal for use in cold rooms, blast chillers and freezers as low as -40°C.

Code	External Dimensions	Internal Dimensions	Capacity	Load	Dolly Code
E2	600^{L} x 400^{W} x 200^{H} mm	570^{L} x 370^{W} x 188^{H} mm	39 litres	500 kg	rotoXD91

ISO 9001 Accredited

BALE ARM AND STACKNEST CRATES

» Ideal for storage and distribution.

» Bale arm design enables stack / nest function.

» SN190 available in a choice of colours.

» DH versions offer dual height stacking locations.





Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code
DH64P	600^{L} x 400^{W} x 106^{H} mm	552^{L} x 352^{W} x 50^{H} mm	16 litres	rotoXD90
DH65P	600^{L} x 400^{W} x 167^{H} mm	548^{L} x 352^{W} x 110^{H} mm	28 litres	rotoXD90
SN640P	600^{L} x 400^{W} x 253^{H} mm	548^{L} x 352^{W} x 226^{H} mm	44 litres	rotoXD90
DH74P	691^{L} x 441^{W} x 194^{H} mm	635^{L} x 391^{W} x 168^{H} mm	43 litres	rotoXD74
SN300S	600^{L} x 400^{W} x 302^{H} mm	570^{L} x 370^{W} x 270^{H} mm	54 litres	rotoXD90

See Pages 54-59 For Dollies

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 36 14/08/2019 15:55:42

SN190 BALE ARM CRATE

» Other colours available on request!

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code
SN190	600^{L} x 400^{W} x 199^{H} mm	546^{L} x 349^{W} x 172^{H} mm	35 litres	rotoXD90

» The SN190 is the market leading bale arm crate due to its capacity and uniform size of 600 x 400 x 199 mm.

» Available in a range of colours to suit any colour coding requirements and at a cost effective price.

» This is therefore an industry favourite for storage and distribution.

STACKNEST CRATES

» These food grade 180° Stack-Nest Containers are ideal if space is at a premium as they nest when not in use.

» Ergonomic hand grip designs.

» Printing service available.

» The "FB" stacknest range offers the classic stack nest functionality with a larger capacity than the standard 600^{L} x 400^{W} mm footprint equivalent crates.

» These stack nest crates are a favourite among the fishing industry but can be used in a wide range of food applications and within other industries.

FB35D

2 Colour Options

See Pages 54-59 For Dollies

Code	External Top Dimensions	Internal Base Dimensions	Capacity
FB35D	800^{L} x 450^{W} x 190^{H} mm	645^{L} x 400^{W} x 180^{H} mm	35 litres
FB60D	800^{L} x 450^{W} x 270^{H} mm	645^{L} x 400^{W} x 260^{H} mm	60 litres
FB75D	890^{L} x 560^{W} x 235^{H} mm	725^{L} x 495^{W} x 228^{H} mm	75 litres

FB60D

2 Colour Options

FB75D

2 Colour Options

RM925A

2 Colour Options

RM130A

2 Colour Options

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code	Lid Code
RM925A	600^{L} x 400^{W} x 220^{H} mm	490^{L} x 340^{W} x 215^{H} mm	40 litres	rotoXD90	RM907L and rotoX9-5L
RM130A	600^{L} x 400^{W} x 350^{H} mm	490^{L} x 340^{W} x 340^{H} mm	66 litres	rotoXD90	RM907L and rotoX9-5L

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 38 14/08/2019 15:55:48

FOOD GRADE COLOURED STACKNEST CRATES

SN0112

» Other colours available on request!

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code
SN0112	600^{L} x 400^{W} x 200^{H} mm	460^{L} x 340^{W} x 190^{L} mm	30 litres	rotoXD90

» Single and double dollies available for 600 x 400 mm crates.

SN0113

» Other colours available on request!

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code
SN0113	600^{L} x 400^{W} x 200^{H} mm	460^{L} x 340^{W} x 190^{L} mm	30 litres	rotoXD90

www.fletchereuropean.co.uk

Fletcher 2020.indd 39
14/08/2019 15:55:53

TWO TONE STACK-NEST RANGE

» **Unique two tone design aids content management.**

» **Perforated containers are ideal for providing fresh air to produce.**

See Pages 54-59 For Dollies

11020

11034

11052

11066

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code	Lid Code
11020	600^{L} x 400^{W} x 117^{H} mm	458^{L} x 338^{W} x 102^{H} mm	18 litres	rotoXD90	61046
11034	600^{L} x 400^{W} x 200^{H} mm	457^{L} x 338^{W} x 177^{H} mm	32 litres	rotoXD90	61046
11052	600^{L} x 400^{W} x 300^{H} mm	460^{L} x 340^{W} x 270^{H} mm	50 litres	rotoXD90	61046
11066	600^{L} x 400^{W} x 400^{H} mm	460^{L} x 340^{W} x 370^{H} mm	70 litres	rotoXD90	61046

Tel: 01933 440 446 **sales@fletchereuropean.co.uk**

Fletcher 2020.indd 40 14/08/2019 15:55:53

» **Made to a euro size footprint, the two tone stack-nests fit easily onto our dollies.**

» **Manufactured from food grade polyethylene and suitable for food contact.**

11032



11018

11065

11051

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code	Lid Code
11018	600^{L} x 400^{W} x 117^{H} mm	458^{L} x 338^{W} x 102^{H} mm	18 litres	rotoXD90	61046
11032	600^{L} x 400^{W} x 200^{H} mm	457^{L} x 338^{W} x 177^{H} mm	32 litres	rotoXD90	61046
11051	600^{L} x 400^{W} x 300^{H} mm	460^{L} x 340^{W} x 270^{H} mm	50 litres	rotoXD90	61046
11065	600^{L} x 400^{W} x 400^{H} mm	460^{L} x 340^{W} x 370^{H} mm	70 litres	rotoXD90	61046

THE KAIMAN RANGE

» Robust containers offering good quality and functionality at an affordable price.

Code	External Dimensions	Capacity	Dolly Code
AT432204	400^{L} x 300^{W} x 225^{H} mm	18 litres	rotoXD90 (holds 2)
AT642604AA	600^{L} x 400^{W} x 265^{H} mm	48 litres	rotoXD90
AT643104AA	600^{L} x 400^{W} x 308^{H} mm	54 litres	rotoXD90
AT643604	600^{L} x 400^{W} x 365^{H} mm	65 litres	rotoXD90
AT644004	600^{L} x 400^{W} x 400^{H} mm	70 litres	rotoXD90

AT432204

AT642604AA

AT643604

AT644004

AT643104AA

THE TWO TONE RANGE

» Containers feature the iconic two tone green to distinguish the box from the hinged lids.

Code	External Dimensions	Capacity	Dolly Code
10025	400^{L} x 300^{W} x 320^{H} mm	25 litres	rotoXD90 (holds 2)
10040	600^{L} x 400^{W} x 250^{H} mm	40 litres	rotoXD90
1005B	600^{L} x 400^{W} x 320^{H} mm	54 litres	rotoXD90
1006B	600^{L} x 400^{W} x 365^{H} mm	64 litres	rotoXD90
10083	720^{L} x 460^{W} x 365^{H} mm	80 litres	rotoXD74


10025


10040

1005B

1006B

10083

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2020.indd 42 14/08/2019 15:55:59

ATTACHED LID CONTAINERS

» Strong stacking from five to eight high with unit load of between 25 and 70 kg.

» Integral hinged lid cannot be separated from container and lost.

» Labelling options; drop-in card, label holder & adhesive label dimple pads on both ends.

» Nesting up to 75% when empty, saving valuable space on return transport.

» Secure tamper-evident security seal fixings available on request.

THE TOTE RANGE

» Available in two colours; recycled black for non food use or virgin blue plastic approved for food contact.

Code	External Dimensions	Capacity	Dolly Code
TOTE28	400^{L} x 300^{W} x 300^{H} mm	28 litres	rotoXD90 (holds 2)
TOTE43	600^{L} x 400^{W} x 250^{H} mm	43 litres	rotoXD90
TOTE55	600^{L} x 400^{W} x 306^{H} mm	55 litres	rotoXD90
TOTE70	600^{L} x 400^{W} x 370^{H} mm	70 litres	rotoXD90
TOTE80	600^{L} x 400^{W} x 420^{H} mm	80 litres	rotoXD90

See Pages 54-59 For Dollies

2 Colour Options

TOTE28



TOTE43

TOTE55

TOTE70

TOTE80

Fletcher 2020.indd 43 14/08/2019 15:56:02

BREAD BASKETS

» 10 loaf bread basket.

FE01

» 15 loaf bread basket.

FE03

» Tailored bread basket dollies can be found on page 56.

» Other colours available on request.

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Dolly Code
FE01	542^{L} x 658^{W} x 186^{H} mm	517^{L} x 625^{W} x 170^{H} mm	52 litres	Polypropylene	BT10D
FE03	772^{L} x 627^{W} x 176^{H} mm	716^{L} x 586^{W} x 150^{H} mm	68 litres	Polypropylene	BT15D

FE12

FE15

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Dolly Code
FE12	762^{L} x 508^{W} x 216^{H} mm	697^{L} x 463^{W} x 190^{H} mm	65 litres	Polypropylene	rotoXD40
FE15	788^{L} x 617^{W} x 190^{H} mm	723^{L} x 569^{W} x 165^{H} mm	68 litres	Polypropylene	rotoXD40

SN645401

» Minimum Order Quantity Item

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Dolly Code
SN645401	640^{L} x 540^{W} x 117^{H} mm	595^{L} x 505^{W} x 88^{H} mm	26 litres	Polypropylene	RM30DYSS

COLLAPSIBLE CRATES

- » Sturdy construction in design with a smooth inside surface, ergonomic handles and rounded edges.
- » Up to 85% space saving when folded flat.
- » Superb ventilation to help temperature control.
- » 'Click in' folding system allows fast and safe folding and unfolding.



FC4318

FC6418

See Pages 54-59 For Dollies

FC6424



Code	External Dimensions	Internal Dimensions	Folded Dimensions	Capacity	Load	Material	Dolly Code
FC4318	400^{L} x 300^{W} x 180^{H} mm	370^{L} x 270^{W} x 175^{H} mm	400^{L} x 300^{W} x 50^{H} mm	17.5 litres	140 kg	Polypropylene	rotoXD91 (holds 2)
FC6418	600^{L} x 400^{W} x 180^{H} mm	570^{L} x 370^{W} x 175^{H} mm	600^{L} x 400^{W} x 35^{H} mm	37 litres	240 kg	Polypropylene	rotoXD91
FC6424	600^{L} x 400^{W} x 235^{H} mm	570^{L} x 370^{W} x 230^{H} mm	600^{L} x 400^{W} x 50^{H} mm	48.5 litres	300 kg	Polypropylene	rotoXD91

CONFECTIONERY TRAYS

- » Standard size bakery trays available in 92, 123 and 176 mm depths.
- » Full printing service available.
- » Lid and dolly available in any colour for any quantity.
- » Bespoke racks can be made to suit individual requirements.
- » Colour options available, call for more information.

See Pages 54-59 For Dollies





Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Lid Code	Dolly Code
30183A	762^{L} x 457^{W} x 92^{H} mm	715^{L} x 412^{W} x 72^{H} mm	22 litres	Polypropylene	3018L	rotoXD38
30183B	762^{L} x 457^{W} x 92^{H} mm	715^{L} x 412^{W} x 72^{H} mm	22 litres	Polypropylene	3018L	rotoXD38
30183C	762^{L} x 457^{W} x 92^{H} mm	715^{L} x 412^{W} x 72^{H} mm	22 litres	Polypropylene	3018L	rotoXD38
R41042	750^{L} x 450^{W} x 165^{H} mm	724^{L} x 425^{W} x 138^{H} mm	43 litres	HDPE	N/A	RM30DYSS
PLASTIGRID	755^{L} x 455^{W} x 30^{H} mm	N/A	N/A	Polypropylene	N/A	N/A

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 46 14/08/2019 15:56:06

30184A

30186A

30184B

30186B

30184C



30186C

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Lid Code	Dolly Code
30184A	762^{L} x 457^{W} x 123^{H} mm	715^{L} x 412^{W} x 103^{H} mm	32 litres	Polypropylene	3018L	rotoXD38
30184B	762^{L} x 457^{W} x 123^{H} mm	715^{L} x 412^{W} x 103^{H} mm	32 litres	Polypropylene	3018L	rotoXD38
30184C	762^{L} x 457^{W} x 123^{H} mm	715^{L} x 412^{W} x 103^{H} mm	32 litres	Polypropylene	3018L	rotoXD38
30186A	762^{L} x 457^{W} x 176^{H} mm	715^{L} x 412^{W} x 156^{H} mm	48 litres	Polypropylene	3018L	rotoXD38
30186B	762^{L} x 457^{W} x 176^{H} mm	715^{L} x 412^{W} x 156^{H} mm	48 litres	Polypropylene	3018L	rotoXD38
30186C	762^{L} x 457^{W} x 176^{H} mm	715^{L} x 412^{W} x 156^{H} mm	48 litres	Polypropylene	3018L	rotoXD38

WIRE TRAYS

» Zinc plated finish makes these trays an excellent choice in ambient temperatures.

» The mesh design allows for perfect cooling and handling of contents.

» Three variants of mesh size to meet your requirements.

» Stainless steel options are available on request; ideal for blast chiller and oven use.

» WT1WF is fitted with 25 mm high feet.



WT1



WT3/50



WT4/50



WT6/50

If handling is an issue, why not try one of our stainless steel bakery trolleys on the next page?

Code	Depth	Dimensions	Mesh Size
WT1	Flat	762^L x 457^W mm	127 x 13 mm
WT1WF	25 mm feet	762^L x 457^W mm	127 x 13 mm
WT3/25	76 mm	762^L x 457^W mm	25 x 25 mm
WT3/50	76 mm	762^L x 457^W mm	50 x 50 mm
WT3/75	76 mm	762^L x 457^W mm	75 x 25 mm

Code	Depth	Dimensions	Mesh Size
WT4/25	101 mm	762^L x 457^W mm	25 x 25 mm
WT4/50	101 mm	762^L x 457^W mm	50 x 50 mm
WT4/75	101 mm	762^L x 457^W mm	75 x 25 mm
WT6/25	152 mm	762^L x 457^W mm	25 x 25 mm
WT6/50	152 mm	762^L x 457^W mm	50 x 50 mm
WT6/75	152 mm	762^L x 457^W mm	75 x 25 mm

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 48 14/08/2019 15:56:10

PERFORATED ALUMINIUM TRAYS

SOLID ALUMINIUM TRAYS

» Rolled Lip Trays

PATRL

SATRL

» Three Sided Trays

PAT3

SAT3

» Four Sided Trays

PAT4

SAT4

Code	Dimensions	Base	Edge
PATRL	762^{L} x 457^{W} mm	Perforated	Rolled
PAT3	762^{L} x 457^{W} x 25^{H} mm	Perforated	3 sided
PAT4	762^{L} x 457^{W} x 25^{H} mm	Perforated	4 sided

Code	Dimensions	Base	Edge
SATRL	762^{L} x 457^{W} mm	Solid	Rolled
SAT3	762^{L} x 457^{W} x 25^{H} mm	Solid	3 sided
SAT4	762^{L} x 457^{W} x 25^{H} mm	Solid	4 sided

BAKERY TROLLEY COVERS

- » Covers to suit our standard racks - RM9SS/ RM15SS/RM20SS.
- » Excellent at shielding food contents from foreign body.
- » Velcro sealed flap allows trays to be easily withdrawn without the removal of the entire cover.
- » Available in two materials - Nylon and PVC.
- » PVC covers are waterproof.
- » Optional windows allow good visibility of the contents within.

BTC/NYLON

BTC/NYLON/WINDOW

BTC/PVC

BTC/PVC/WINDOW

Bespoke covers can be made to suit any rack or trolley.

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 50

14/08/2019 15:56:21

STAINLESS STEEL BAKERY TROLLEYS

- » Ideal for use within food handling environments such as bakeries, commercial kitchens and food factories.
- » Highly manoeuvrable and easily handled.
- » Designed to be incredibly durable.
- » Mounted on four hard wearing castors.
- » Our trolleys can be supplied as standard or to bespoke specifications including braked castors, double bays, additional supports and with or without a back support bar.

Code	Description
RM9SS	To suit trays measuring up to 762^{L} x 457^{W} x 176^{H} mm on page 47
RM15SS	To suit trays measuring up to 762^{L} x 457^{W} x 92^{H} mm on page 46
RM20SS	To suit trays on page 48 & 49 and Plastigrids on page 46

Fletcher 2020.indd 51 14/08/2019 15:56:23

STAINLESS TABLE TROLLEYS

» The stainless steel table trolleys are perfect for food storage and preparation as they can double up as practical table top surface.

» Available in three formats; standard bay, standard bay with a chopping board insert top, or double bay.

» 4 castor setup includes two braked castors to allow easy transportation and secure parking.

RM5SS

With a built in chopping board top!

4 Colour Options

RM5SSCT

RM5SSD

NEW PRODUCT

Code	Description
RM5SS	To suit trays measuring up to 762^{L} x 457^{W} x 123^{H} mm
RM5SSCT	To suit trays measuring up to 762^{L} x 457^{W} x 123^{H} mm
RM5SSD	To suit trays measuring up to 762^{L} x 457^{W} x 123^{H} mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 52 14/08/2019 15:56:26

HYGIBOX AND EURO STACKER TROLLEYS

» **With a choice of single or double bay trolleys, they are designed to hold a typical euro container footprint measuring 600^{L} x 400^{W} mm.**

» **Two variants in height allow the trolleys to hold a 234^{H} mm container, or a shallower 155^{H} mm.**

RM8SSEURO

Code	Description
RM8SSEURO	To hold 8 containers measuring up to 600^{L} x 400^{W} x 155^{H} mm
RM8SSDEURO	To hold 8 containers measuring up to 600^{L} x 400^{W} x 155^{H} mm
RM6SSDEURO	To hold 6 containers measuring up to 600^{L} x 400^{W} x 245^{H} mm

RM8SSDEURO

NEW PRODUCT

RM6SSDEURO

RM6SSDEURO

ISO 9001 Accredited

www.fletchereuropean.co.uk

Fletcher 2020.indd 53 14/08/2019 15:56:31

ROTO*X* PLASTIC DOLLIES

- » Roto-moulded dollies feature fully hygienic designs with no crevices.
- » Full colour coding available.
- » Plastic dollies suitable for environments -30°C to 80°C.
- » Standard 100 mm zinc plated castors can be upgraded.
- » Material: Polyethylene.



Code	Aperture Size	Description
rotoXD38	765^{L} x 460^{W} mm	To suit 765^{L} x 455^{W} mm confectionery trays
rotoXD40	800^{L} x 645^{W} mm	To suit Bread baskets and 800^{L} x 600^{W} mm Euro Stackers
rotoXD74	645^{L} x 395^{W} mm	To suit containers up to 645^{L} x 395^{W} mm
rotoXD36	762^{L} x 460^{W} mm	To suit 765^{L} x 455^{W} mm confectionery trays
rotoXD75	640^{L} x 385^{W} mm	To suit up to 640^{L} x 385^{W} mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 54 14/08/2019 15:56:33

ROTOX™

BEST SELLER

rotoXD90

rotoXD50

Any Colour

» Optional Handle Available

rotoXD91

rotoXD54

rotoXD92

rotoXD52

Code	Aperture Size	Description
rotoXD90	560^{L} x 360^{W} mm	To suit 600^{L} x 400^{W} mm Stack nest trays
rotoXD50	2 x 550^{L} x 360^{W} mm	Double dolly to suit 2 x 600^{L} x 400^{W} mm Stack nest trays
rotoXD91	610^{L} x 405^{W} mm	To suit 600^{L} x 400^{W} mm Euro Stacking trays
rotoXD54	2 x 610^{L} x 410^{W} mm	Double dolly to suit 2 stacks of 600 x 400mm stack or stack / nest containers
rotoXD92	610^{L} x 405^{W} mm	Solid deck dolly to suit 600^{L} x 400^{W} mm Euro Stacking Trays
rotoXD52	2 x 612^{L} x 402^{W} mm	Double dolly to suit 2 x 600^{L} x 400^{W} mm Euro Stacking trays

www.fletchereuropean.co.uk

UNIVERSAL DOUBLE DOLLY

» Plastic double dolly capable of carrying a range of containers.

» Suits 600 x 400 mm Euro containers, stack nest containers, bale arm crates and attached lid boxes.

» Fourteen spring-loaded pop-ups provide safe retention for trays and contents weighing up to 500kg.

» Can be equipped with a removable handle for better control.

» Compatible for use with forklifts.



Code	External Dimensions	Description
D0975904	800^{L} x 600^{W} mm	To suit 600^{L} x 400^{W} mm Euro containers

BREAD BASKET DOLLIES

Code	Aperture Size	Description
BT10D	542^{L} x 658^{W} mm	To suit 10 loaf bread basket on page 44
BT15D	772^{L} x 627^{W} mm	To suit 15 loaf bread basket on page 44

600 X 400 mm ECONOMY DOLLY

» Manufactured from food grade polypropylene, well suited for use within industrial environments.

» Supplied with two fixed/two swivel 100 mm castors with rubber wheels, reducing surface noise.

» Braked castors are available on request.

Code	External Dimensions
BP64D	600^{L} x 400^{W} mm

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2020.indd 56 14/08/2019 15:56:38

STAINLESS STEEL DOLLIES

Code	Use
RM90DSS	To fit a single 600^{L} x 400^{W} mm Euro Stacking container
RM30DYSS	Made to any size to suit any specific requirements

Code	Use
BALEDDSS	To fit two 600^{L} x 400^{W} mm Bale Arm crates
EURODDSS	To fit two 600^{L} x 400^{W} mm Euro Stacking containers
HYGIDDSS	To fit two 600^{L} x 400^{W} mm Hygiboxes

www.fletchereuropean.co.uk

Fletcher 2020.indd 57
14/08/2019 15:56:41

ROTO*X* HANDLING DOLLIES

The perfect transport solution for our inter-stacking bins on Page 12

» Stainless steel frame, complete with removable plastic inserts.

» Ideal for cleaning down or changing colour coding requirements.

Code	Aperture Size	Description
rotoXFDD	385 mm x 2	Stainless steel double dolly to suit inter-stacking bins on page 12
rotoXFQD	385 mm x 4	Stainless steel quad dolly to suit inter-stacking bins on page 12

Code	Dimensions	Aperture Size	Description
rotoXD07	1035^{L} x 455^{W} x 995^{H} mm	385^{D} mm x 2	Stainless steel double dolly to suit inter-stacking bins on page 12

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 58 14/08/2019 15:56:43

DOLLIES FOR INTER-STACKING AND TAPERED BINS

ROTOX™

Code	Aperture Size	Description
rotoXDSB	385 mm Diameter	Round dolly to suit inter-stacking bin range on page 12
rotoXDTB	445 mm Diameter	Round dolly to suit tapered bin range on pages 24 & 25

CIRCULAR METAL DOLLIES

- » Made out of stainless steel or, a more cost effective, black powder coated mild steel.
- » 6 standard sizes readily available.
- » Circular steel dollies can be made to any bespoke requirements.
- » Perfect for our tapered bin range on Pages 24 & 25.

Stainless Steel Dollies

rotoXD5SS	295 mm diameter
rotoXD10SS	360 mm diameter
rotoXD15SS	400 mm diameter
rotoXD20SS	450 mm diameter
rotoXD25SS	480 mm diameter
rotoXD35SS	515 mm diameter

Mild Steel Dollies

rotoXD5	295 mm diameter
rotoXD10	360 mm diameter
rotoXD15	400 mm diameter
rotoXD20	450 mm diameter
rotoXD25	480 mm diameter
rotoXD35	515 mm diameter

RAISED STAND AND TROLLEY

Code	Dimensions	Insert Depth	Castors	Description
rotoXT06	460^{D} x 760^{H} mm	180 mm	N/A	Stainless steel stand to suit inter-stacking bins on page 12
rotoXT06M	610^{D} x 760^{H} mm	180 mm	4 x 100 mm swivel	Stainless steel mobile stand to suit inter-stacking bins on page 12

PLASTIC BUCKETS

Code	Dimensions	Capacity	Handle finish	Lid Available
RM2B	280^{D} x 280^{H} mm	9 litres	Chrome	N/A
VK6	270^{D} x 258^{H} mm	6 litres	Stainless steel	VK6L
VK12	325^{D} x 318^{H} mm	12 litres	Stainless steel	VK12L
VK20	470^{D} x 380^{H} mm	20 litres	Stainless steel	VK20L

Code	Dimensions	Capacity	Handle finish	Lid Available
MBK8	267^{D} x 248^{H} mm	9 litres	Plastic	N/A
rotoXB4SS	315^{D} x 455^{H} mm	22 litres	Stainless steel	Included
CR20	330^{D} x 280^{H} mm	20 litres	Galvanised	N/A
CR30	370^{D} x 420^{H} mm	30 litres	Galvanised	N/A

STAINLESS STEEL BUCKETS

MBK10 - Flat Base

MBK10RF - Reinforced Foot

Code (Flat Base)	Code (Reinforced Foot)	Dimensions	Capacity	Lid Code
MBK6	N/A	255^D x 240^H mm	6 litres	MBK6L
MBK10	MBK10RF	300^D x 270^H mm	10 litres	MBK10L
MBK12	MBK12RF	310^D x 295^H mm	12 litres	MBK12L
MBK15	MBK15RF	325^D x 310^H mm	15 litres	MBK15L
N/A	MBK20RF	320^D x 380^H mm	20 litres	N/A

STAINLESS STEEL BUCKET STANDS

» The BKST stainless steel bucket stand is made to fit any bucket from our range.

» We can also make them to fit bespoke measurements required by you.

BKST

AIRTIGHT BUCKETS

- » 2.5 to 110 litre re-usable airtight containers.
- » Tamper-evident option in many sizes.
- » Many coloured alternatives available.
- » Sold in convenient boxed or pallet quantities.
- » Plastic / Aluminium Handles.

» Other colours available on request!

Code	External Dimensions	Capacity	Boxed Quantity
V25	195^{D} x 134^{H} mm	2.5 litres	140
V30	195^{D} x 155^{H} mm	3 litres	130
V50	233^{D} x 205^{H} mm	5 litres	100
V110	282^{D} x 253^{H} mm	11 litres	50
V120	282^{D} x 274^{H} mm	12 litres	50

Code	External Dimensions	Capacity	Boxed Quantity
V160	323^{D} x 272^{H} mm	16 litres	40
V200	323^{D} x 335^{H} mm	20 litres	30
V250	323^{D} x 418^{H} mm	25 litres	20
V330	370^{D} x 415^{H} mm	33 litres	62
V600	430^{D} x 560^{H} mm	60 litres	60

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 62 14/08/2019 15:56:57

SCOOPS AND JUGS

- » Tough food grade polyethylene sundry products.
- » Choice of colours available.
- » Coloured metal detectable products and purple anti-microbial versions available.
- » Lightweight constructions and ergonomic handles for ease of use.
- » Standard items work from –15°C to 80°C.

Code	Description	Dimensions	Capacity
J48	Plastic Pouring Jug	175^{W} x 240^{L} x 150^{D} mm	2 litres
JS46	Plastic Scoop Jug	175^{W} x 190^{L} x 150^{D} mm	2 litres

Code	Dimensions	Capacity
SC03	355^{L} x 167^{W} x 90^{D} mm	1 litre
SC02	310^{L} x 138^{W} x 74^{D} mm	750 ml
SC01	250^{L} x 110^{W} x 60^{D} mm	500 ml
MINI SCOOP	207^{L} x 107^{W} x 77^{D} mm	175 ml

Code	Dimensions	Capacity
RMBS1	335^{L} x 180^{W} x 85^{D} mm	1 litres
RMBS2	360^{L} x 222^{W} x 80^{D} mm	2 litres

Description	Lobby pan
Dimensions	310^{W} x 270^{D} x 1030^{L} mm
Weight	1200 g
Temp. Range	-20 to +60˚C
Material	PP
Pack Quantity	5

SQUARE FOOD STORAGE CONTAINERS

- » The square shape provides 33% better space usage than traditional round containers.
- » Containers and snap-on lids are available in three types of plastic - Polycarbonate, Translucent Polypropylene and Polyethylene.
- » Snap-on lids feature thumb tabs for easy removal.
- » Polycarbonate containers can also be fitted with sealed covers to provide excellent spill resistance.
- » Can withstand temperatures from -40°C to 70°C. Polycarbonated containers can tolerate greater temperatures from -40°C to 99°C.
- » Instacking design saves space when not in use.

Code (Polycarbonate)	Code (Translucent Polypropylene)	Code (Polyethylene)	Capacity	Dimensions
2SFSCW	2SFSPP	2SFSP	1.9 litres	185^{L} x 185^{W} x 100^{H} mm
4SFSCW	4SFSPP	4SFSP	3.8 litres	185^{L} x 185^{W} x 187^{H} mm
6SFSCW	6SFSPP	6SFSP	5.7 litres	215^{L} x 215^{W} x 185^{H} mm
8SFSCW	8SFSPP	8SFSP	7.6 litres	215^{L} x 215^{W} x 230^{H} mm
12SFSCW	12SFSPP	12SFSP	11.4 litres	256^{L} x 310^{W} x 210^{H} mm
18SFSCW	18SFSPP	18SFSP	17.2 litres	256^{L} x 310^{W} x 320^{H} mm
22SFSCW	22SFSPP	22SFSP	20.8 litres	256^{L} x 310^{W} x 400^{H} mm

Polycarbonate Lids

Code	Fits (Capacity)
SFC2SCPP	1.9 & 3.8
SFC6SCPP	5.7 & 7.6
SFC12SCPP	11.4, 17.2 & 20.8

Coloured Lids

Code & Colour	Fits (Capacity)
SFC2 Green	1.9 & 3.8
SFC6 Red	5.7 & 7.6
SFC12 Blue	11.4, 17.2 & 20.8

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 64 14/08/2019 15:57:07

ROUND FOOD STORAGE CONTAINERS

- » Store ingredients or transport ready to serve or partially prepared foods.
- » Containers and snap-on lids are available in three types of plastic - Polycarbonate, Translucent Polypropylene and Polyethylene.
- » Polycarbonate containers can also be fitted with sealed covers to provide excellent spill resistance.
- » Round shape promotes proper air circulation, ideal for stirring soups and sauces.
- » Resists food acids, oils and alcohol as well as being stain and odour resistant.
- » Reduced risk of contamination and enhances food safety.
- » Easy to read graduations to help with produce management.
- » Moulded with built in handles to aid with carrying.

NEW PRODUCT

Code (Polycarbonate)	Code (Translucent Polypropylene)	Code (Polyethylene)	Capacity	Dimensions
RFSCW1	RFS1PP	RFS1	0.9 litres	154^{D} x 127^{H} mm
RFSCW2	RFS2PP	RFS2	1.9 litres	208^{D} x 111^{H} mm
RFSCW4	RFS4PP	RFS4	3.8 litres	208^{D} x 218^{H} mm
RFSCW6	RFS6PP	RFS6	5.7 litres	252^{D} x 202^{H} mm
RFSCW8	RFS8PP	RFS8	7.6 litres	252^{D} x 276^{H} mm
RFSCW12	RFS12PP	RFS12	11.4 litres	378^{D} x 213^{H} mm
RFSCW18	RFS18PP	RFS18	17.2 litres	378^{D} x 305^{H} mm
RFSCW22	RFS22PP	RFS22	20.8 litres	378^{D} x 381^{H} mm

White Polyethylene Lids

Code	Fits (Capacity)
RFSC1	0.9
RFSC2	1.9 & 3.8
RFSC6	5.7 & 7.6
RFSC12	11.4, 17.2 & 20.8

Translucent Polypropylene Lids

Code	Fits (Capacity)
RFSC1PP	0.9
RFSC2PP	1.9 & 3.8
RFSC6PP	5.7 & 7.6
RFSC12PP	11.4, 17.2 & 20.8

Translucent Polycarbonate Seal Covers

Code	Fits (Capacity)
RFS1SCPP	0.9
RFS2SCPP	1.9 & 3.8
RFS6SCPP	5.7 & 7.6
RFS12SCPP	11.4, 17.2 & 20.8

www.fletchereuropean.co.uk

Fletcher 2020.indd 65 14/08/2019 15:57:08

WEIGH SCALES - Calibration Certificates provided on request.



» Bench Top Electronic Scales - ideal for food industries and light warehouses.

» Stainless steel low profile electronic bench scales.

» Complete with 800 mm cable connecting weighing platform to display. Display also comes with plastic bracket to allow for wall or bench mounting.

» 4 Key Control – on/off, tare, kg/lb switching and hold to freeze weight on display.

Code	Description	Dimensions
WS10A	15 kg capacity with 5 g increments	380^L x 300^W x 27^D mm
WS10B	60 kg capacity with 20 g increments	380^L x 300^W x 27^D mm
WS10C	120 kg capacity with 50 g increments	380^L x 300^W x 27^D mm

» General Purpose Economy Scales - suitable for catering and general purpose.

» Economy all-purpose weighing scales.

» Plastic ABS base with removable stainless steel 245 x 215 mm platform.

» Operates from both mains power and in built rechargeable battery – providing fully portable unit.

» 2 Key control – Tare/ Units, On/ Off.

Code	Description	Dimensions
C405A	6 kg capacity with 1 g increments	250^L x 300^W mm
C405B	15 kg capacity with 2 g increments	250^L x 300^W mm

» Wash Down Check Weigher - perfect for the food industry and catering.

» Scale built to operate in harsh wet environments such as portion control, food processing and meat preparation areas.

» Operates from both mains power and an in built rechargeable battery making the unit fully portable.

» Simple to operate with 4 key control – off, on/ zero, tare & function.

Code	Description	Dimensions
C3265A	3 kg capacity with 0.5 g increments	229^L x 190^W mm
C3265B	6 kg capacity with 1 g increments	229^L x 190^W mm
C3265C	15 kg capacity with 2 g increments	229^L x 190^W mm

» General Purpose Floor Scale - ideal for general purpose and warehousing.

» General all-purpose floor weighing scales.

» Mild steel base with stainless steel weigh platform and column, with robust ABS plastic digital display.

» Operates from both mains power and in built rechargeable battery.

» 4 Key Control – Power switch, On/Off/Zero, Tare, Units, Hold/ Print.



Code	Description	Base Dimension
ZM110A	60 kg capacity with 10 g increments	400^L x 400^W mm
ZM110B	150 kg capacity with 20 g increments	400^L x 400^W mm
ZM110C	300 kg capacity with 50 g increments	400^L x 400^W mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 66 14/08/2019 15:57:10

THERMOMETERS

TEMP01

NEW PRODUCT

- » Foldable Digital Probe Thermometer - temperature range from -50°C to 300°C and accurate to plus/minus 1°C.
- » Screen resolution accurate to 0.1°C and a response time of 15 seconds.
- » Fold away probe for easy storage and detachable wrist strap.
- » Supplied with 1 AAA battery.

- » Water Resistant Digital Thermometer - temperature range from -50°C to 200°C and a screen resolution accurate to 0.1°C.
- » Water resistant.
- » Max/Min memory function.
- » Complete with a probe cover that incorporates a pocket clip and wall mounting keyhole slot.
- » Supplied with 1 x 1.5 volt battery.

NEW PRODUCT

TEMP02

TEMP03

NEW PRODUCT

- » Handheld Digital Thermometer - temperature range from -50°C to 300°C.
- » Large LCD display with automatic shut off.
- » Detachable stainless steel probe.
- » Supplied with 2 AA batteries.

- » Infrared Thermometer - temperature range from -50°C to 400°C and a screen resolution accurate to 0.1°C.
- » The large LCD screen delivers a response time of 0.5 seconds.
- » Designed to take the surface temperature of any solid or liquid without the use of a probe.
- » Requires minimal cleaning and prevents cross contamination.
- » 9 volt battery included with a life of 16 hours and an automatic turn off after 6 seconds.

TEMP04

NEW PRODUCT

KNIVES

» Blade lengths from 3.5” to 12” (89 mm to 305 mm).

» Colour coded handles to suit industry standard procedures.

» All knives come individually packed with protective sheathes.

» Scabbards and racks available to safely store all items when not in use.

PAIRK3.5

PALK4

VEGK4

SUK5

FILLK6

BONK6

COOK6.5

PALK8

COOK8.5

COOK10

SLIK10

SLIK12



Code	Size	Description
PAIRK3.5	3.5”	Paring knife
PALK4	4”	Palette knife
VEGK4	4”	Vegetable knife
SUK5	5”	Scalloped utility knife
FILLK6	6”	Fillet knife
BONK6	6”	Boning knife

Code	Size	Description
COOK6.5	6.5”	Cooks knife
PALK8	8”	Palette knife
COOK8.5	8.5”	Cooks knife
COOK10	10”	Cooks knife
SLIK10	10”	Slicer knife
SLIK12	12”	Slicer knife

» 3 additional colours available as minimum order quantities of 10.

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 68

14/08/2019 15:57:19

CHOPPING BOARDS

» Tough polyethylene material.

» Colour coded.

» Industrial quality.

» Suitable for all applications.

» Dishwasher safe.

» Can be made to any size.

» Can also be custom made as rack and table tops.

Code	Thickness	Length	Width
CB4312	12 mm	457 mm	305 mm
CB5312	12 mm	500 mm	356 mm
CB6412	12 mm	610 mm	440 mm
CB3212	12 mm	305 mm	229 mm
CB4320	20 mm	457 mm	305 mm
CB5320	20 mm	500 mm	356 mm
CB6420	20 mm	610 mm	440 mm
CB3220	20 mm	305 mm	229 mm
CB4325	25 mm	457 mm	305 mm
CB5325	25 mm	500 mm	356 mm
CB6425	25 mm	610 mm	440 mm
CB3225	25 mm	305 mm	229 mm

6 Colour Options

SAFETY KNIVES

4 Colour Options

P900M

F600M

Code	Description	Features
P900M	Heavy duty safety knife	Fixed stainless steel blade Metal detectable
F600M	Disposable safety knife with hook	Fixed stainless steel blade Metal detectable

KS1

Description	Wall mounted knife scabbard
Dimensions	260^{w} x 35^{d} x 305^{h} mm

RP500

Description	Rolling pin
Dimensions	500^{W} x 45^{D} mm
Material	Tough polyethylene material















Code	Dimensions	Description
SP01	76^{W} x 205^{L} mm	Plastic hand scraper
SP02	100^{W} x 250^{L} mm	Plastic hand scraper
H13	150^{L} x 97^{W} mm	Small flexi scraper
H14	230^{L} x 118^{W} mm	Large flexi scraper
MSC22	120^{L} x 85^{W} mm	Flexible stainless steel hand scraper
MSC4	155^{L} x 0.56^{W} mm	Stainless steel dough cutter
MSC3	75^{L} x 0.8^{W} mm	Stainless steel hand scraper
MSC3/38	38^{L} x 0.8^{W} mm	Stainless steel hand scraper

Code	Dimensions	Description
RMST	39^{L} x 12 x 408^{W} mm	Stirrer
FSC1	235^{L} x 33 x 270^{W} mm	Flexible nylon scraper
SP01SS	37^{L} x 125^{W} mm	Stainless steel scraper
SP02SS	75^{L} x 125^{W} mm	Stainless steel scraper
HW101	125^{L} x 290^{W} x 540^{H} mm	Hand held paddle
PSH7	242^{L} x 264^{W} x 478^{H} mm	Hand held shovel
DP13	305^{W} x 200^{L} mm	Dustpan

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2020.indd 70 14/08/2019 15:57:26

ANTI-MICROBIAL PRODUCTS

The Anti-Microbial range uses Iraguard Silver based additive built into all plastic parts. Used together with standard cleaning procedures, it effectively inhibits the growth of a broad range of moulds, mildews and bacteria on the surface of the products themselves. The combination of low migration rates and high melting point makes it especially suitable for intensive use and high temperature environments.

HAB40

HAB41

HAB42

HAB44

HAB01

HAB03

HAB12

HAB14

HAB51

AMB861

AMB758

AMB809

AMDP13


AMPLH3

Code	Dimensions	Description
HAB40	110^{W} x 150^{D} x 250^{L} mm	Small hand scoop
HAB41	138^{W} x 187^{D} x 310^{L} mm	Medium hand scoop
HAB42	167^{W} x 230^{D} x 355^{L} mm	Large hand scoop
HAB44	220^{W} x 80^{D} x 360^{L} mm	Round bowl scoop
HAB01	247^{L} x 315 x 527^{W} mm	Standard pan shovel
HAB03	247^{L} x 315 x 966^{W} mm	Standard blade T grip
HAB12	100^{L} x 250^{W} mm	Scraper (4")

Code	Dimensions	Description
HAB14	230^{W} x 118^{D} mm	Anti-microbial flexi-scraper
HAB51	39^{W} x 12^{D} x 421^{L} mm	Universal stirrer with hanger
AMB861	317^{W} x 57^{L} mm	Anti-microbial brush with soft trim
AMDP13	315^{W} x 325^{L} mm	Anti-microbial dustpan
AMB758	300^{W} (63 mm trim)	Sweeping broom medium texture
AMB809	457^{W} (63 mm trim)	Sweeping broom medium texture
AMPLH3	1400^{L} mm	Reinforced handle

METAL DETECTABLE BRUSHWARE

Our MDX range of hygiene tools are X-ray and metal detectable, designed to minimise the risk of foreign object contamination in the food industry.

Choose between:

» **Total MDX - Dark blue / black only. All parts of Total MDX products are metal detectable**

» **Colour MDX - Coloured handles and black bristle. Colour MDX have detectable filaments only**

B861MDX

D4MDX

D9MDX

NA4MDX

MBK15MDX

Code - Total MDX	Code - Colour MDX	Description	Dimensions	Bristle Material
B861MDX	C/B681MDX	MDX Banister Brush	317^{L} x 38^{W} x 135^{H} mm	57 mm Soft
D4MDX	C/D4MDX	MDX Short Handled Brush	235^{L} x 103^{W} x 140^{H} mm	44 mm Stiff
D9MDX	C/D9MDX	MDX Long Handled Brush	405^{L} x 53^{W} x 155^{H} mm	40 mm Stiff
NA4MDX	N/A	MDX Nail Brush	122^{L} x 44^{W} x 33^{H} mm	17 mm Stiff
MBK15MDX	N/A	MDX Bucket	290D x 308H mm	N/A

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 72 14/08/2019 15:57:34

METAL DETECTABLE PRODUCTS

The Detectable Hygiene Range has been specifically developed for the food processing industry. The products in this range are all produced from a specially formulated material based on high impact, food contact approved, polypropylene. This material has the ability to be detected and rejected by typical metal detection machines used in the food processing industry.

HD40

HD41


HD42

HD44

HD11

HD12

HD13

HD14

HD01

HD51


MDMSC22

Detectable Pens

HD80

HD81

HD75

HD70

Code	Dimensions	Description
HD40	110^W x 150^D x 250^L mm	Small hand scoop
HD41	138^W x 187^D x 310^L mm	Medium hand scoop
HD42	167^W x 230^D x 355^L mm	Large hand scoop
HD44	220^W x 80^D x 360^L mm	Round bowl scoop
HD11	75^W x 205^L mm	Scraper (3")
HD12	100^W x 250^L mm	Scraper (4")
HD13	150^W x 97^L mm	Small flexi scraper
HD14	230^W x 118^L mm	Large flexi scraper

Code	Dimensions	Description
HD01	242^L x 264^W x 478^H mm	Detectable hand shovel
HD51	39^W x 12^D x 421^L mm	Universal stirrer with hanger
MDMSC22	120^L x 100^W mm	Flexible stainless steel scraper
HD80	1200^L mm	Detectable paddle
HD81	1200^L mm	Detectable paddle
HD75	247^L x 315^W x 978^H mm	Detectable shovel
HD70	334^L x 410^W x 1035^H mm	Detectable shovel

» For detectable pens call to discuss options.

www.fletchereuropean.co.uk

Fletcher 2020.indd 73 14/08/2019 15:57:49

Our range of cleaning tools are manufactured in the UK, offering a comprehensive and innovative range of high quality products well suited to use within food production sites. All products are manufactured using FDA/EU approved materials, are totally colour coded, heat and chemical resistant, incredibly durable, are easy to clean and feature ergonomic product design.

CLASSIC OR RESIN SET BRUSHES?

Many of our brushes are available with a choice of classic bristle retention or resin set. The difference refers to how the bristles or filaments are held into the brush back:

CLASSIC: Tufts of bristles are threaded into holes in the brush back and held in place using stainless steel staples within the brush back.

RESIN SET: The resin set option offers a dual retention system, the bristles are held in place with a stainless steel staple and an antimicrobial resin, which fills the tuft holes and brush back. This not only prevents the build-up of dirt and bacteria in the tuft areas, but also the release of filaments which could pose a risk in food production environments.

CLASSIC AND RESIN BRUSHES

Code (Classic)	Code (Resin)	Description	Dimensions	Bristle Material
B861	B861RES	Banister Brush Soft	310^{L} x 37^{W} x 135^{H} mm	Soft
B864	B864RES	Banister Bush Medium	330^{L} x 52^{W} x 135^{H} mm	Medium
B862	B862RES	Banister Brush Stiff	325^{L} x 38^{W} x 135^{H} mm	Stiff
D5	D5RES	Short Handled Brush Soft	240^{L} x 100^{W} x 135^{H} mm	44 mm Soft
D7	N/A	Short Handled Brush Medium	260^{L} x 69^{W} x 128^{H} mm	35 mm Medium
D4	D4RES	Short Handled Brush Stiff	230^{L} x 110^{W} x 150^{H} mm	44 mm Stiff

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 74 14/08/2019 15:57:50

Code (Classic)	Code (Resin)	Description	Dimensions	Bristle Material
B884	B884RES	Utility Brush Medium	275 x 47 x 85 mm	24 mm Medium
D10	D10RES	Long handled Brush Medium	410 x 51 x 145 mm	40 mm Stiff
D9	D9RES	Long handled brush Stiff	403 x 51 x 132 mm	40 mm Stiff
NA4	NA4RES	Nail Brush	122 x 44 x 31 mm	17 mm Stiff
ST5	ST5RES	Double Wing Scrub	208 x 64 x 56 mm	35 / 27 mm Dual Stiff
ST9	ST9RES	Round Scrub	115 x 115 x 103 mm	40 mm Stiff
B1241	B1241RES	Niche Brush	178 x 12 x 55 mm	14 mm Medium
B1240	N/A	Niche Brush	178 x 13 x 54 mm	14 mm Stainless Steel
B1606	N/A	Detail Brush	224 x 21 x 60 mm	17 mm Stiff
WS6S	WS6SRES	Wire Scratch Brush	276 x 35 x51 mm	30 mm Stainless Steel
N/A	B1423RES	Guarded Machine Brush	550 x 20 mm	60 mm Medium

CLASSIC AND RESIN BRUSHES

Code (Classic)	Code (Resin)	Description	Dimensions	Bristle Material
B929	B929RES	9" Sweeping Broom Medium	232^{L} x 50^{W} x 128^{H} mm	63 mm Medium
B928	B928RES	9" Deck Scrub	232^{L} x 50^{W} x 104^{H} mm	38 mm Stiff
B1342	B1342RES	9" Deck Scrub SS	233^{L} x 50^{W} x 95^{H} mm	26 mm Stainless Steel
B1731	N/A	11" Broom Soft	280^{L} x 58^{W} x 108^{H} mm	55 mm Soft
B1732	N/A	11" Broom Medium	280^{L} x 59^{W} x 110^{H} mm	55 mm Medium
B1745	N/A	11" Broom Stiff	281^{L} x 59^{W} x 92^{H} mm	55 mm Extra Stiff
B849	B849RES	12" Broom Soft	300^{L} x 75^{W} x 124^{H} mm	63 mm Soft
B758	B758RES	12" Broom Medium	300^{L} x 75^{W} x 127^{H} mm	63 mm Medium
B770	B770RES	12" Deck Scrub	299^{L} x 75^{W} x 107^{H} mm	44 mm Stiff
B809	B809RES	18" Broom Medium	455^{L} x 76^{W} x 112^{H} mm	63 mm Medium
B994	B994RES	18" Broom Stiff	455^{L} x 76^{W} x 113^{H} mm	63 mm Stiff

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 76 14/08/2019 15:57:52

Code (Classic)	Code (Resin)	Description	Dimensions	Bristle Material
B1760	N/A	20" Broom Soft	503^{L} x 59^{W} x 116^{H} mm	63 mm Soft
B1657	N/A	20" Broom Medium	505^{L} x 58^{W} x 117^{H} mm	63 mm Medium
B1786	N/A	20" Broom Stiff	502^{L} x 59^{W} x 111^{H} mm	63 mm Stiff
B1134	B1134RES	24" Broom Soft	595^{L} x 74^{W} x 122^{H} mm	57 mm Soft
B883	B883RES	24" Broom Medium	600^{L} x 75^{W} x 145^{H} mm	82 mm Medium

GLAZING BRUSHES

Code	Description	Texture	Dimensions	Bristle Material
GL11	Glazing brush	Soft	210^{L} x 51^{W} x 15^{H} mm	0.20 mm polyester
GL30	Glazing brush	Soft	195^{L} x 27^{W} x 11^{H} mm	0.20 mm polyester
GL31	Glazing brush	Soft	214^{L} x 75^{W} x 17^{H} mm	0.20 mm polyester

STAINLESS STEEL WIRE BRUSHES

» A range of twisted-in wire brushes using stainless steel wire and colour-coded filaments.

» Can be used for applying, pushing, removing, cleaning, spreading or deburring.



Code	Description	Texture	Dimensions	Bristle Material
T831	Twisted-in stainless steel wire brush	Medium	375^{L} x 26^{W} x 26^{H} mm	0.30 mm crimped polyester
T832	Twisted-in stainless steel wire brush	Medium	375^{L} x 26^{W} x 26^{H} mm	0.40 mm polyester
T833	Twisted-in stainless steel wire brush	Medium	388^{L} x 37^{W} x 37^{H} mm	0.40 mm polyester
T834	Twisted-in stainless steel wire brush	Medium	400^{L} x 50^{W} x 50^{H} mm	0.60 mm polyester
T835	Twisted-in stainless steel wire brush	Medium	444^{L} x 64^{W} x 64^{H} mm	0.60 mm polyester

PLASTIC CORE TUBE BRUSHES

» Ideal for cleaning piping, tubing and drainage, they can be fitted to any of our threaded handles.

» Available in 5 colours to aid HACCP compliance.

Code	Description	Texture	Dimensions	Bristle Material
B1529/75	Plastic core tube brush	Medium	190^{L} x 76^{W} x 76^{H} mm	0.45 mm crimped polyester
B1529/115	Plastic core tube brush	Medium	203^{L} x 116^{W} x 114^{H} mm	0.60 mm polyester

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 78 14/08/2019 15:57:53

PADDLES & SHOVELS













Code	Dimensions	Description
LP01	125^{L} x 290^{W} x 1190^{H} mm	Moulded one-piece paddle
LP02	125^{L} x 290^{W} x 1190^{H} mm	Moulded one-piece paddle
HW105	125^{L} x 290^{W} x 1760^{H} mm	Long handled paddle
NY105	125^{L} x 290^{W} x 1760^{H} mm	Heat resistant paddle

Code	Dimensions	Description
PSH13	247^{L} x 315^{W} x 978^{H} mm	Long handled shovel
PSH6	334^{L} x 410^{W} x 1035^{H} mm	Long handled shovel
FD95	320^{L} x 320^{W} x 1075^{H} mm	Sieving shovel
MSC1	200^{L} x 1300^{H} mm	Stainless steel blade with aluminium handle

WATERFLOW HANDLES



*All handles must have the 'W/STOP' product for waterflow use.

Code	Dimensions	Handle Material	Description	Temperature Tolerance
ALH17	690^{H} x 25^{D} mm	Aluminium	Fixed length	-18°C to 79°C
ALH18	1350^{H} x 25^{D} mm	Aluminium	Fixed extension length with polypropylene grips	-18°C to 79°C
WFPLH3	1400^{H} x 25^{D} mm	Polypropylene	Fixed length	-18°C to 79°C
WFPLH3EX	$1700\text{-}2800^{H}$ x 25^{D} mm	Polypropylene	Extendable length	-18°C to 79°C

» Waterflow handles are purposely designed to help with the cleaning process of food preparation areas.

» Our range offers a choice of handle material in the form of aluminium or polypropylene.

» We also provide fixed or extendable length handles depending on your needs.

» One handle end connects easily to a hosepipe and the other to one of the interchangeable brush heads.

» Once fitted the device allows the user to control the flow of water from the hosepipe, through the handle and then out through the brush onto the surface receiving treatment.

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 80 14/08/2019 15:57:59

WATERFLOW BRUSHWARE

» Waterflow brushware is an excellent choice when it comes to wet cleaning your facilities.

» The brushes are designed to allow a regulated supply of water between their filaments and onto the contact area.

Code (Classic)	Code (Resin)	Dimensions	Bristle Strength	Description	Temperature Tolerance
B1056	N/A	275^{L} x 70^{H} mm	Soft	Ideal for cleaning walls and vehicles	-18°C to 79°C
D77	D77RES	216^{H} x 59^{D} mm	Medium	Ideal for cleaning tanks, vats and gullies	-18°C to 79°C
D79	D79RES	216^{H} x 59^{D} mm	Stiff	Ideal for cleaning tanks, vats and gullies	-18°C to 79°C

WATERFLOW ACCESSORIES

W/STOP - Water Stop Connector

WH/CON - Waterflow Handle Connector

Code	Description
W/STOP	For preventing water wastage and required for use with all waterflow handles
WH/CON	For joining handle extensions together

Fletcher 2020.indd 81 14/08/2019 15:58:00

MOPS AND SQUEEGEES

» Full range of colour options.

» Choose from a wide selection of handle options.

» Suitable for food industry applications.

» Ask about our hygiene essential range.

MOP10/130

5 Colour Options

KMOP11

5 Colour Options

PLSB30

7 Colour Options

PLSB40

5 Colour Options

PLSB50

5 Colour Options

PLSB60

10 Colour Options

1005MB

4 Colour Options

MBK7

5 Colour Options

Code	Description	Pack Qty
MOP10/130	450 g looped hygiene polyester mop	10
KMOP11	340 g Bio mop	5
1005MB	25 litre Kentucky bucket and wringer on wheels	1
PLSB30	300 mm overmoulded squeegee	6
PLSB40	400 mm overmoulded squeegee	6
PLSB50	500 mm overmoulded squeegee	6
PLSB60	600 mm overmoulded squeegee	6

Code	MBK7
Dimensions	270^{W} x 260^{D} x 285^{H} mm
Details	To suit up to 300g mops
Capacity	15 litres
Handle finish	Plastic
Dolly code	On application

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 82

14/08/2019 15:58:05

HYGIENIC HANDLES









Code	Description	Material
ALH30	340 mm handle	Aluminium with polypropylene trim
ALH15	700 mm handle	Aluminium with polypropylene trim
ALH5	1270 mm handle	Aluminium with polypropylene trim
ALH7	1360 mm handle	Aluminium with polypropylene trim

Code	Description	Material
ALH8	1500 mm handle	Aluminium with polypropylene trim
ALH27	1380 mm handle	Aluminium with polypropylene trim
SSH2	1350 mm handle	Stainless Steel with polypropylene trim
SSH4	1550 mm handle	Stainless Steel with polypropylene trim

MOBILE SPILL KITS

» This range contains a variety of products aimed to combat spillages quickly and effectively.

» Can be applied to three main types of spills - oil and fuel, non-aggressive liquids and aggressive chemicals.

» Absorbents in the different spill kits are each to their own specification and colour coded accordingly

» Each kit comes housed in a bright yellow wheelie bin.

» Refill kits are available on request.

» Kits come with absorbing pads, cushions and socks as well as barrier tape, disposable gloves, goggles and disposable bags with ties.

» Oil and Fuel spill kits should be used outside or where selective recovery of oil from water is required.

» Maintenance spill kits are ideal for industrial spills including oil, solvents, coolants and mild chemicals.

» Chemical spill kits should be used on aggressive chemicals spills such as acids or alkalis.

Kit Capacity (Absorption)	Oil and Fuel Kit	Non-Aggressive Liquids Kit	Aggressive Chemicals Kit
80 litre	SPK80F	SPK80M	SPK80C
120 litre	SPK120F	SPK120M	SPK120C
240 litre	SPK240F	SPK240M	SPK240C
360 litre	SPK360F	SPK360M	SPK360C

Tel: 01933 440 446 **sales@fletchereuropean.co.uk**

Fletcher 2020.indd 84 14/08/2019 15:58:12

RETRACTABLE BARRIERS

» Cost effective temporary barrier system.

» Can be easily and promptly installed to form an instant guide for employees, customers or visitors.

RB/GP - GENERAL PURPOSE

» Plastic post with 4-way connectivity barriers.

» Hard wearing cast iron base.

» Constant torque webbing retraction.

RB/HD - HEAVY DUTY

» Detachable plastic post mounted on a recycled rubber stackable base.

» Constant torque webbing retraction.

Code	Dimensions	Webbing Length
RB/GP	955^{H} x 354^{D} mm	2300 mm
RB/HD	975^{H} x 483^{D} mm	3650 mm

*Barriers are sold individually but require pairing in order to connect webbing.

WARNING SIGNS

Code	Description
8613	Sign only. No wording or picture
8614GB	CAUTION WET FLOOR. With slipping man on both sides
8617GB	CAUTION TRIP HAZARD. With tripping man on both sides
8620GB	CLEANING IN PROGRESS. With '!' on both sides

» Signs available in different languages on request

Fletcher 2020.indd 85 14/08/2019 15:58:14

HANGERS AND ACCESSORIES

» A range of hygienic designs to store different types of equipment.

» Available in a choice of colours.

» Ready made solutions or buy individual component parts.

» All our hanger options can be used on our bespoke Shadow Boards.









Code	Description
HD6	515 mm Anodised aluminium rail with 5 HOLD1 hangers and coloured ends
HD7	515 mm Anodised aluminium rail with 3 HOLD2 shovel hangers and coloured ends
RAIL500	500 mm rail with end plugs
WLBR1	206 mm Wall bracket system (holds up to 4 products)
HOLD1	For standard 20 - 30 mm diameter handles
HOLD2	For large 30 - 40 mm diameter handles
HDHOOK1	Plastic hook to fit RAIL500 & 900
SSHOOK	Stainless Steel Hook - Hygenic design
SSANG1	Stainless steel Hanger with 3 hooks - 310 x 75 mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 86 14/08/2019 15:58:17

SHADOW BOARDS

Our bespoke Shadow Boards enable companies and businesses to segregate workplace cleaning equipment. This allows the monitoring of quality and whereabouts of each product which helps to avoid any cross contamination - vitally importantly in food service and processing environments.

- » Totally bespoke, made to suit your needs.
- » Fast turnaround and competitive prices.
- » Compact, hygienic and easy to clean.

PLASTIC FOAMEX

- » 5 mm wall mounted boards are lightweight and easy to clean.
- » They serve as an excellent cost effective option when it comes to equipment management.

ALUMINIUM COMPOSITE

- » A much stronger option, 3 mm thick Aluminium shadow boards are a high quality product and well suited to industrial environments.



CHOICE OF 2 MATERIALS



Fletcher 2020.indd 87 14/08/2019 15:58:18

STAINLESS STEEL SUNDRIES

Solid Handle Scoops

Code	Capacity	Dimensions
SC10SH	100 ml	180^{L} x 50^{D} mm
SC50SH	500 ml	240^{L} x 95^{D} mm
SC75SH	750 ml	330^{L} x 95^{D} mm

Loop Handle Scoops

Code	Capacity	Dimensions
SSSC1	400 ml	75 x 260 x 145 mm
SSSC2	850 ml	105 x 330 x 150 mm
SSSC3	1.45 litres	125 x 360 x 230 mm
SSSC4	2.3 litres	150 x 390 x 250 mm

SCB1

Code	Description
SCB1	A4 Clipboard

Stainless Jugs

Code	Capacity	Dimensions
SSJ1	1.3 litres	120 x 120 mm
SSJ2	2.1 litres	140 x 140 mm
SSJ3	3.2 litres	160 x 160 mm
SSJ5	5 litres	200 x 200 mm

Scrapers

Code	Dimensions
SPO1SS	37^{W} x 125^{L} mm
SPO2SS	75^{W} x 125^{L} mm

FACSS525

Code	Description	Dimensions
FACSS525	First aid cabinet	500^{L} x 200^{W} x 500^{H} mm

SH50

Code	Description	Dimensions
SH50	Shovel	180^{H} x 290^{W} x 1010^{L} mm

PB1



PB3

Code	Description	Features
PB1	Ring only waste bag holder	Lift lid
PB3	Ring only waste bag holder	Foot operated lift lid

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 88 14/08/2019 15:58:23

STAINLESS STEEL TABLES

Write Up Desk

» Square write up desk - ideal for small areas where note taking is required.

» Sloped top provides comfort when writing and reading.

» Adjustable feet can make this table level on any uneven surface.

Code	Dimensions
SSWD661	600^{L} x 600^{W} x 1000^{H} mm

» Table top is made from 304 grade stainless steel completed with galvanised legs. Ideal for demanding kitchens and food preparation areas.

» Comes without an upstand, allowing it to be used in the centre of rooms for access from all angles.

» Height adjustable undershelf that provides practical storage space for just about anything you need to store.

Code	Dimensions
ST990	900^{L} x 600^{W} x 900^{H} mm
ST1290	1200^{L} x 600^{W} x 900^{H} mm

Cater Table

Eco Stainless Table

» Fully 304 grade stainless steel, the ST985 and ST1285 centre benches are great cost effective tables.

» Made with 30 x 30 mm single bar underframe for support and strength.

» Adjustable feet come as standard to help adjust the level.

Code	Dimensions
ST985	900^{L} x 600^{W} x 850^{H} mm
ST1285	1200^{L} x 600^{W} x 850^{H} mm

» Bespoke table manufactured from 304 grade stainless steel. Made to any size and any requirements.

» High quality product which is suitable for any hygiene sensitive environment.

» Optional cutting board tops can be fitted.

» Choice of static or wheeled feet.

Code	Dimensions
SST - Standard	2440^{L} x 610^{W} x 864^{H} mm
SST - Custom	Can be made to any size

Professional Stainless Table

Next Day Delivery

Fletcher 2020.indd 89 14/08/2019 15:58:24

ZINC PLATED SHELVING

» An economic storage solution ideal for dry environments.

Zinc Plated Racks with Wire Shelving

Code	Dimensions	Shelves	Weight Limit
ZP906017W	900^L x 600^D x 1700^H mm	4	190 kg per shelf/500 kg per bay
ZP906022W	900^L x 600^D x 2200^H mm	5	190 kg per shelf/500 kg per bay
ZP126017W	1200^L x 600^D x 1700^H mm	4	175 kg per shelf/500 kg per bay
ZP126022W	1200^L x 600^D x 2200^H mm	5	175 kg per shelf/500 kg per bay
ZP156017W	1500^L x 600^D x 1700^H mm	4	150 kg per shelf/500 kg per bay
ZP156022W	1500^L x 600^D x 2200^H mm	5	150 kg per shelf/500 kg per bay

Zinc Plated Racks with Solid Shelving

Code	Dimensions	Shelves	Weight Limit
ZP906017S	900^L x 600^D x 1700^H mm	4	190 kg per shelf/500 kg per bay
ZP906022S	900^L x 600^D x 2200^H mm	5	190 kg per shelf/500 kg per bay
ZP126017S	1200^L x 600^D x 1700^H mm	4	175 kg per shelf/500 kg per bay
ZP126022S	1200^L x 600^D x 2200^H mm	5	175 kg per shelf/500 kg per bay
ZP156017S	1500^L x 600^D x 1700^H mm	4	150 kg per shelf/500 kg per bay
ZP156022S	1500^L x 600^D x 2200^H mm	5	150 kg per shelf/500 kg per bay

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 90 14/08/2019 15:58:27

STAINLESS STEEL SHELVING

The perfect storage solution for a cold store or wet environment.

Stainless Racks with Solid Shelving

Code	Dimensions	Shelves	Weight Limit
SS126017S	1200^{L} x 600^{D} x 1700^{H} mm	4	150 kg per shelf/500 kg per bay
SS126022S	1200^{L} x 600^{D} x 2200^{H} mm	5	150 kg per shelf/500 kg per bay
SS154517S	1500^{L} x 450^{D} x 1700^{H} mm	4	125 kg per shelf/500 kg per bay
SS154522S	1500^{L} x 450^{D} x 2200^{H} mm	5	125 kg per shelf/500 kg per bay
SS156017S	1500^{L} x 600^{D} x 1700^{H} mm	4	125 kg per shelf/500 kg per bay
SS156022S	1500^{L} x 600^{D} x 2200^{H} mm	5	125 kg per shelf/500 kg per bay

Stainless Racks with Wire Shelving

Code	Dimensions	Shelves	Weight Limit
SS904517W	900^{L} x 450^{D} x 1700^{H} mm	4	190 kg per shelf/500 kg per bay
SS904522W	900^{L} x 450^{D} x 2200^{H} mm	5	190 kg per shelf/500 kg per bay
SS124517W	1200^{L} x 450^{D} x 1700^{H} mm	4	175 kg per shelf/500 kg per bay
SS124522W	1200^{L} x 450^{D} x 2200^{H} mm	5	175 kg per shelf/500 kg per bay
SS154517W	1500^{L} x 450^{D} x 1700^{H} mm	4	150 kg per shelf/500 kg per bay
SS154522W	1500^{L} x 450^{D} x 2200^{H} mm	5	150 kg per shelf/500 kg per bay

PLASTIC SHELVING

- » Fully hygienic plastic racking offers excellent storage facilities.
- » Plastic designs, easily dismantled and rebuilt in different ways to offer flexible storage.
- » All static racks can be made mobile, though this can make larger units less stable.
- » Designs can easily grow with your storage requirements.
- » Racks can be made static or mobile, fitted with stainless castors or braked options.
- » Other sizes available on request. Can be made to fit corners if required.

Single Racks

Product	Dimensions mm W x D x H	Shelves
104425S	1000 x 400 x 1080	4
104435S	1000 x 400 x 1380	4*
105425S	1000 x 500 x 1080	4
105435S	1000 x 500 x 1380	4*
104525S	1000 x 400 x 1380	5
104535S	1000 x 400 x 1780	5*
105525S	1000 x 500 x 1380	5
105535S	1000 x 500 x 1780	5*
Gaps between shelves are 250 mm except *350 mm		

Double Racks

Product	Dimensions mm W x D x H	Shelves
154425S	1500 x 400 x 1080	4
154435S	1500 x 400 x 1380	4*
155425S	1500 x 500 x 1080	4
155435S	1500 x 500 x 1380	4*
154525S	1500 x 400 x 1380	5
154535S	1500 x 400 x 1780	5*
155525S	1500 x 500 x 1380	5
155535S	1500 x 500 x 1780	5*
204425S	2000 x 400 x 1080	4
204435S	2000 x 400 x 1380	4*
205425S	2000 x 500 x 1080	4
205435S	2000 x 500 x 1380	4*
204525S	2000 x 400 x 1380	5
204535S	2000 x 400 x 1780	5*
205525S	2000 x 500 x 1380	5
205535S	2000 x 500 x 1780	5*

Platform Racks

Product	Dimensions mm W x D x H
PL15/4	1500 x 400 x 170
PL20/4	2000 x 400 x 170
PL15/5	1500 x 500 x 170
PL20/5	2000 x 500 x 170

Next Day Delivery

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 92 14/08/2019 15:58:30

» Can be custom made to suit any tray and incorporate special features such as chopping board tops and braked castors.

» Red caps come as standard on some products.

Single Mobile Bay Racks

Product	No. of Levels
MRS4	4
MRS6	6
MRS8	8
MRS10	10
MRS12	12

» To suit containers sizes 600 x 400 mm and trays 762 x 457 mm (30” x 18”).

» For any tray depth within safe working heights. Ring for advice and sizes.

Double Mobile Bay Racks

Product	No. of Levels
MRD6	3 (6 boxes)
MRD8	4 (8 boxes)
MRD10	5 (10 boxes)
MRD14	7 (14 boxes)
MRD20	10 (20 trays)

» Prices for boxes and trays on request.

» All details as single trolleys but fitted with 6 swivel castors not 4 where required.

Mobile Racks

Product	Dimensions mm W x D x H	Shelves
105525M	1000 x 500 x 1430	5
105535M	1000 x 500 x 1830	5*
155525M	1500 x 500 x 1430	5
155535M	1500 x 500 x 1830	5*
Gaps between shelves are 250 mm except *350 mm Castors: 100 mm diameter nylon swivels		

CHANGING ROOM BENCHES

Plastic Bench Seating

Code	Dimensions	Leg Posts
PB10	400^{L} x 1000^{W} x 450^{H} mm	2
PB12	400^{L} x 1200^{W} x 450^{H} mm	2
PB15	400^{L} x 1500^{W} x 450^{H} mm	3
PB18	400^{L} x 1800^{W} x 450^{H} mm	3
PB20	400^{L} x 2000^{W} x 450^{H} mm	3

» Made from all plastic material, these benches will not rust or corrode and are ideal for damp and wet environments.

» They are flat-packed to allow for quick assembly of the feet, stability tube and shelving.

Single Side Changing

Code	Dimensions	Leg Posts	Hooks
CBS10	570^{L} x 1000^{W} x 1800^{H} mm	2	4
CBS12	570^{L} x 1200^{W} x 1800^{H} mm	2	4
CBS15	570^{L} x 1500^{W} x 1800^{H} mm	3	8
CBS18	570^{L} x 1800^{W} x 1800^{H} mm	3	8
CBS20	570^{L} x 2000^{W} x 1800^{H} mm	3	8

» Clever design allows for a strong structure while remaining lightweight and easy to move.

» Smooth 'splinter free' surface prevents the catching of objects and skin, while at the same time is easy to clean.

Double Side Changing

Code	Dimensions	Leg Posts	Hooks
CBD10	850^{L} x 1000^{W} x 1800^{H} mm	2	4
CBD12	850^{L} x 1200^{W} x 1800^{H} mm	2	4
CBD15	850^{L} x 1500^{W} x 1800^{H} mm	3	8
CBD18	850^{L} x 1800^{W} x 1800^{H} mm	3	8
CBD20	850^{L} x 2000^{W} x 1800^{H} mm	3	8

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 94 14/08/2019 15:58:31

FLOOR MATTING

TMAT01	
Dimensions	Sold As
600^{L} x 910^{W} x 14^{H} mm	Floor Tile

» Heavy duty deck-top surface with impact absorbing base foam and an embossed surface.

» Anti-fatigue mat with a foam layer providing comfort.

» Checker plate layer gives improved traction while reducing abrasion and punctures.

» Ideal for dry commercial and workplace environments where standing is part of work function.

GMAT01	
Dimensions	Sold As
5000^{L} x 600^{W} x 15^{H} mm	Roll



» Animal fat and oil resisting matting developed for food processing and preparation industries.

» Wide spaced open grid format allows waste spillages to escape to keep the standing area free of slippery and hazardous matter.

» Easy to roll up and remove for cleaning processes.

» Anti-bacterial and anti-fungal additives ensure continued hygienic performance.

RM201	
Dimensions	Sold As
5000^{L} x 910^{W} x 6^{H} mm	Roll



» Light, economical, comfortable and soft under foot.

» Simple to roll for cleaning purposes and ideal for bar and catering areas where spillage may occur.

» Slip resistant surface and open grid design for effective liquid drainage.

» Insulates against cold and hard floors and reduces standing fatigue.

RM301	
Dimensions	Sold As
5000^{L} x 910^{W} x 15^{H} mm	Roll

» The ultimate slip resistant matting solution and the best heavy duty matting available.

» Certified high slip resistance DIN 51130 - R11 meets the highest international standards.

» Top liquid drainage rating and is chemical, oil and acid resistant.

» Hygienic, easy to clean and provides excellent cushioning, thermal and noise reducing properties.

SUPERTUFF PLASTIC LOCKERS

» Strong lockers moulded from polyethylene which will not dent like traditional steel lockers.

» Hard wearing material will not rust or corrode.

» Washable and easy to maintain.

» Water resistant material so can be used outside under cover.

» Locker backs are grey as standard, other colours are available.

» A wide choice of colours can be manufactured if required.

» Anti-theft, with a double locking design.

» Supplied as standard with padlockable or key operated locks.

» Sloping top available to prevent the build up of rubbish.

» Metal stands available to raise lockers from floor level.

» Fixings supplied to hold lockers securely together.

Code	External Dimensions
LK01	320^{W} x 460^{D} x 450^{H} mm
LK02	320^{W} x 460^{D} x 600^{H} mm
LK03	320^{W} x 460^{D} x 900^{H} mm

LK01

LK02

LK03

Accessories

Code	Description
CRLOCK1	Coin return lock
CRLOCK2	Coin return lock - Wet areas
CHOOK1	Coat hook
KLOCK01	Key Lock
PLOCK01	Padlock

KLOCK01

PLOCK01



Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 96 14/08/2019 15:58:40

1800 mm high locker combinations:

- » 4 x LK01
- » 3 x LK02
- » 2 x LK03

Code	Description	Material	External Dimensions
STAND2	Fits two abreast lockers	Galvanised or Stainless	640^{W} x 465^{D} x 147-176^{H} mm
STAND3	Fits three abreast lockers	Galvanised or Stainless	960^{W} x 465^{D} x 147-176^{H} mm
STAND4	Fits four abreast lockers	Galvanised or Stainless	1280^{W} x 465^{D} x 147-176^{H} mm
LKST01	Sloping top	Polyethylene	150^{H} mm

STEEL LOCKERS

Steel lockers offer secure storage for staff possessions or equipment. Available in a range of sizes with a choice of accessories.

- » Supplied with a choice of lock options.
- » Available in a range of colours.
- » Sloping tops and stands available.
- » Manufactured in the UK.
- » Airflow venting system.
- » Contains sustainably sourced "Abbey steel".
- » Steel is powder coated.

Sloping Top

Code	Description	External Dimensions	Sloping Top Code
LKS1A	Single compartment steel locker	300^W x 300^D x 1800^H mm	LKSST
LKS1B	Single compartment steel locker	300^W x 450^D x 1800^H mm	LKSST2
LKS2A	2 compartment steel locker	300^W x 300^D x 1800^H mm	LKSST
LKS2B	2 Compartment steel locker	300^W x 450^D x 1800^H mm	LKSST2
LKS3A	3 Compartment steel locker	300^W x 300^D x 1800^H mm	LKSST
LKS3B	3 Compartment steel locker	300^W x 450^D x 1800^H mm	LKSST2
LKS4A	4 Compartment steel locker	300^W x 300^D x 1800^H mm	LKSST
LKS4B	4 Compartment steel locker	300^W x 450^D x 1800^H mm	LKSST2
LKS5A	5 Compartment steel locker	300^W x 300^D x 1800^H mm	LKSST
LKS5B	5 Compartment steel locker	300^W x 450^D x 1800^H mm	LKSST2
LKS6A	6 Compartment steel locker	300^W x 300^D x 1800^H mm	LKSST
LKS6B	6 Compartment steel locker	300^W x 450^D x 1800^H mm	LKSST2
LKS8A	8 Compartment steel locker	300^W x 300^D x 1800^H mm	LKSST
LKS8B	8 Compartment steel locker	300^W x 450^D x 1800^H mm	LKSST2

Stand

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 98 14/08/2019 15:58:48

Steel garment collection and dispense lockers, designed for easy collection, storage and dispense of PPE in changing areas.

- » Tidy collection and storage of laundry items.
- » Full height service door on dispense units to speed up filling process.
- » Antibacterial powder coated finish.

Code	Description	External Dimensions	Doors
GLKC1	Garment collection locker	381^{W} x 457^{D} x 1800^{H} mm	1
GLK5	Garment dispense locker	381^{W} x 457^{D} x 1830^{H} mm	5
GLK10	Garment dispense locker	381^{W} x 457^{D} x 1830^{H} mm	10
GLK15	Garment dispense locker	381^{W} x 457^{D} x 1830^{H} mm	15

GLKC1

GLK5

GLK10

GLK15

SMALL POSSESSION LOCKERS

- » Ideal for the storage of small personal possessions such as watches, keys, wallets and mobile phones.

Code	Description	External Dimensions	Doors
SPLK4	Personal effects locker	250^{W} x 160^{D} x 920^{H} mm	4
SPLK8	Personal effects locker	250^{W} x 160^{D} x 920^{H} mm	8
SPLK4ST	Personal effects locker with sloping top	250^{W} x 160^{D} x 990^{H} mm	4
SPLK8ST	Personal effects locker with sloping top	250^{W} x 160^{D} x 990^{H} mm	8


SPLK4

SPLK8ST

Fletcher 2020.indd 99 14/08/2019 15:58:49

FIRST AID CABINETS

» Easily identifiable storage for First Aid supplies and equipment.

» Durable powder coated finish with clear identification labelling.

» Wall cabinets feature draw trays, are pre-drilled for fixing and are supplied with lock and 2 keys.

» Floor standing cabinets have pitch adjustable shelves and lever lock handles with top and bottom locking rods.

Code	Description	Dimensions	Shelves
FAC10	Floor cabinet	915^{H} x 457^{W} x 457^{D} mm	1
FAC60	Double door floor cabinet	915^{H} x 915^{W} x 457^{D} mm	2
FAC65	Medium double door floor cabinet	1220^{H} x 915^{W} x 457^{D} mm	2
FAC70	Large double door floor cabinet	1830^{H} x 915^{W} x 457^{D} mm	3
FAWC3	Wall cabinet	600^{H} x 400^{W} x 300^{D} mm	1
FAWC4	Medium wall cabinet	600^{H} x 500^{W} x 300^{D} mm	1
FAWC6	Large wall cabinet	600^{H} x 800^{W} x 300^{D} mm	1

HAZARDOUS SUBSTANCE CABINETS

» Robust metal cabinets to provide a secure storage point for chemicals.

» Made in the UK from high quality steel and then powder coated.

» Cabinet doors are reinforced and operate on a three point locking system.

Code	Description	Dimensions	Shelves
HSC04	Medium double door cabinet	1000^{H} x 915^{W} x 457^{D} mm	1 (Adjustable)
SKHSC2	Small stackable quadruple door cabinet	610^{H} x 915^{W} x 457^{D} mm	2 (Adjustable)
HSC01	Large double door cabinet	1830^{H} x 915^{W} x 457^{D} mm	3 (Adjustable)

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2020.indd 100
14/08/2019 15:58:51

COSHH CABINETS

- » Designed to securely hold small quantities of harmful substances.
- » Base sumps contain any spills or leaks which may occur.
- » Made in the UK from high quality steel and then powder coated.
- » Complies with regulations relating to the Control of Substances Hazardous to Health (COSHH).
- » Doors are reinforced to provide added security.

Code	Description	Dimensions	Shelves
MCSC3	Mini single door safety cabinet	710^{H} x 457^{W} x 305^{D} mm	1
MCSC4	Mini single door safety cabinet	610^{H} x 457^{W} x 457^{D} mm	1 (Adjustable)
CSC4	Small single door safety cabinet	910^{H} x 457^{W} x 457^{D} mm	1
CSC5	Small double door safety cabinet	710^{H} x 915^{W} x 457^{D} mm	1

PPE CABINETS

- » Steel construction with powder coated finish.
- » Lever lock handles with top and bottom locking rods.
- » Pitch adjustable shelves.
- » Supplied with 2 keys and identification labelling.
- » Additional shelves available.

Code	Description	Dimensions	Shelves
PPE10	Small PPE storage cabinet	915^{H} x 457^{W} x 457^{D} mm	1
PPE60	Double door small PPE storage cabinet	915^{H} x 915^{W} x 457^{D} mm	2
PPE65	Double door medium PPE storage cabinet	1220^{H} x 915^{W} x 457^{D} mm	2
PPE70	Double door large PPE storage cabinet	1830^{H} x 915^{W} x 457^{D} mm	3

PLASTIC PALLETS

- » Range of sizes from 600 x 600 mm to 1200 x 1000 mm.
- » Light, medium and heavy duty options available.
- » Fully hygienic options for clean environments.
- » Range of runner and lip options to suit individual applications.

MINIPAL

Any Colour

5590



CRH2



SL1

NEW PRODUCT

5591



CRD1R



CRH1

Code	Description	External Dimensions	Dynamic	Static	Rackable
MINIPAL	Light 2 way entry hygiene pallet	600^{L} x 600^{W} x 150^{D} mm	250 kg	250 kg	Not suitable
5590	Light 6 feet nestable pallet	800^{L} x 600^{W} x 115^{D} mm	400 kg	800 kg	Not suitable
CRH2	Medium 2 way entry hygiene pallet	800^{L} x 600^{W} x 160^{D} mm	500 kg	1000 kg	Not suitable
SL1	Light 3 runner recycled pallet	1200^{L} x 800^{W} x 120^{D} mm	1000 kg	2000 kg	Not suitable
5591	Light 9 feet nestable pallet	1200^{L} x 800^{W} x 130^{D} mm	800 kg	1500 kg	Not suitable
CRD1R	Medium 3 runner recycled pallet	1200^{L} x 800^{W} x 150^{D} mm	1000 kg	5000 kg	400 kg
CRH1	Medium 3 runner hygiene pallet	1200^{L} x 800^{W} x 160^{D} mm	1250 kg	4000 kg	850 kg

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 102 14/08/2019 15:58:56

FE1210CD - HYGIENIC CLOSED DECK PALLET



NEW PRODUCT

3 Colour Options

» Additional colours are available as minimum order quantities.

FE1210CD

» Cost Effective.

» Features a closed top deck and full perimeter base with five runners (skids), making it ideal for heavy duty applications.

» Manufactured using food grade polyethylene (HDPE), this pallet is ideal for use in both general industry and more high care sectors like food production and pharmaceutical transportation.

» Protective lips along the sides improve safety during transportation allowing products remain in place.

» Available from stock in blue, red and black, however other colours are available on request.

» Can be quickly wiped down between uses and requires low levels of maintenance to keep hygienic. There are also no crevices or hard-to-reach areas that might allow dirt to build up.

Code	Description	External Dimensions	Dynamic	Static	Rackable
FE1210CD	Heavy 5 runner hygiene pallet	1200^{L} x 1000^{W} x 160^{D} mm	2500 kg	5000 kg	1250 kg

www.fletchereuropean.co.uk

Fletcher 2020.indd 103 14/08/2019 15:58:59

PLASTIC PALLETS

1855

CRD35R

CR35RL

CRH3

TC3

RMIPS12



AP12102

ALUMINIUM 2 SKID PALLET

» Other variants available on our website including 1200 mm x 800 mm and three runner pallets.

» Contact us for more information.

Code	Description	External Dimensions	Dynamic	Static	Rackable
1855	Light 9 feet nestable pallet	1200^{L} x 1000^{W} x 155^{D} mm	1000 kg	2000 kg	Not suitable
CRD35R	Heavy 5 runner recycled pallet	1200^{L} x 1000^{W} x 150^{D} mm	1000 kg	5000 kg	400 kg
CR35RL	Heavy 5 runner recycled pallet	1200^{L} x 1000^{W} x 160^{D} mm	1250 kg	5000 kg	1000 kg
CRH3	Medium 3 runner hygiene pallet	1200^{L} x 1000^{W} x 160^{D} mm	1250 kg	4000 kg	850 kg
TC3	Heavy 3 runner hygiene pallet	1200^{L} x 1000^{W} x 160^{D} mm	1500 kg	7500 kg	1250 kg
RMIPS12	Heavy 5 runner hygiene pallet	1200^{L} x 1000^{W} x 155^{D} mm	2500 kg	5000 kg	1250 kg
AP12102	2 skid aluminium pallet	1200^{L} x 1000^{W} x 150^{D} mm	Not suitable	850 kg	Not suitable

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 104 14/08/2019 15:59:03

COLLAPSIBLE PALLET BOXES

» Representing a great space saving storage solution.

» Collapsible pallet boxes can be folded down easily when not in use.

Code	External Dimensions	Capacity	Dynamic	Static
FLC595	1200^{L} x 1000^{W} x 595^{H} mm	439 litres	1600 kg	3000 kg
FLC750	1200^{L} x 1000^{W} x 750^{H} mm	606 litres	1600 kg	3200 kg
FLC975	1200^{L} x 1000^{W} x 975^{H} mm	847 litres	1600 kg	3200 kg

Code	External Dimensions	Internal Dimensions	Capacity	Max Load	Weight	Lid Code
FDPB1210	1200^{L} x 1000^{W} x 740^{H} mm	1120^{L} x 920^{W} x 578^{H} mm	600 litres	750 kg	40.5 kg	DL1210AL

www.fletchereuropean.co.uk

Fletcher 2020.indd 105 14/08/2019 15:59:05

PALLET BOXES

» A range of pallet boxes specially designed for the food industry.

» Robust and hygienic design, free from dirt traps.

» Integral moulded runners enable safe tipping.

» Available in a choice of colour options.

» 1200 x 1000 has three runners, 1200 x 800 version supplied with two runners.

DL1208P

5 Colour Options

» Minimum Order Quantity Item - 300 Units

5 Colour Options

DL1208S





DL1210AP

5 Colour Options



DL1210A

5 Colour Options

Code	External Dimensions	Internal Dimensions	Capacity	Max Load	Weight	Lid Code
DL1208P	1200^{L} x 800^{W} x 740^{H} mm	1120^{L} x 720^{W} x 600^{H} mm	500 litres	500 kg	32 kg	DL1208L
DL1208S	1200^{L} x 800^{W} x 740^{H} mm	1120^{L} x 720^{W} x 600^{H} mm	500 litres	500 kg	32 kg	DL1208L
DL1210AP	1200^{L} x 1000^{W} x 740^{H} mm	1128^{L} x 928^{W} x 605^{H} mm	620 litres	900 kg	35.5 kg	DL1210AL
DL1210A	1200^{L} x 1000^{W} x 740^{H} mm	1128^{L} x 928^{W} x 605^{H} mm	620 litres	900 kg	36.5 kg	DL1210AL

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 106 14/08/2019 15:59:06

The Big Boxes are made of a robust, scratch-resistant plastic material. Smooth inner and outer walls ensure easy cleaning.

Standardised dimensions ensure smooth operation in storage and transport processes.

- » Stackable with lid.
- » Superimposed load 4 tonnes.
- » In standard ISO dimensions.
- » Available with feet, skids or wheels.

Code	External Dimensions	Internal Dimensions	Capacity	Max Load	Weight	Lid Code
BP1210GR	1200^{L} x 1000^{W} x 760^{H} mm	1110^{L} x 910^{W} x 610^{H} mm	610 litres	500 kg	41 kg	BP1210L
CR650A	1200^{L} x 1000^{W} x 790^{H} mm	1110^{L} x 910^{W} x 610^{H} mm	650 litres	450 kg	45.5 kg	CR650L
CR650B	1200^{L} x 1000^{W} x 790^{H} mm	1110^{L} x 910^{W} x 610^{H} mm	650 litres	450 kg	45.5 kg	CR650L
CR650C	1200^{L} x 1000^{W} x 915^{H} mm	1110^{L} x 910^{W} x 610^{H} mm	650 litres	450 kg	44 kg	CR650L
CR650D	1200^{L} x 1000^{W} x 760^{H} mm	1110^{L} x 910^{W} x 610^{H} mm	650 litres	450 kg	39.5 kg	CR650L

www.fletchereuropean.co.uk

Fletcher 2020.indd 107
14/08/2019 15:59:09

RETENTION CAGES

» Strong zinc plated steel.

» Mesh cages are available to fit both Euro and standard pallets to create a secure enclosure.

» Each cage comes with a half hinged gate to improve access.

» Clever design allows cages to be stacked.

» Cage walls can be folded flat when not in use to save on space.

*Pallets are not included with the cages.

Code	Description	Dimensions	Material	Load Capacity
SRC1280	Euro Stackable Retention Cage	1200^{L} x 800^{W} x 1000^{H} mm	Zinc plated steel	800 kg
SRC1210	Standard Stackable Retention Cage	1200^{L} x 1000^{W} x 1000^{H} mm	Zinc plated steel	800 kg
SRC1212	Tall Standard Stackable Retention Cage	1200^{L} x 1000^{W} x 1200^{H} mm	Zinc plated steel	800 kg

COLLAPSIBLE WIRE CAGES

» Strong zinc plated steel.

» Free standing wire cages are robust in design.

» Self-contained wire cages provide a storage solution without the need of wooden or plastic pallets.

» Each cage comes with a half hinged gate to improve access.

» Cages are collapsible when not in use to save on space.

» WC1210HD is fitted with fork pockets.

Code	Description	Dimensions	Material	Load Capacity
WC1280	Collapsible Euro Wire Cage	1200^{L} x 800^{W} x 1000^{H} mm	Zinc plated steel	600 kg
WC1210	Collapsible Standard Wire Cage	1200^{L} x 1000^{W} x 1000^{H} mm	Zinc plated steel	600 kg
WC1210HD	Heavy Duty Collapsible Wire Cage with Fork Pockets	1200^{L} x 1000^{W} x 900^{H} mm	Zinc plated steel	1500 kg

COLLAPSIBLE STEEL PALLET

» Fully collapsible steel pallet.

» Designed with a half drop gate which can be removed.

» Wall mesh of 50 x 50 mm allows clear visibility of the contents.

Code	Description	Dimensions	Material	Load Capacity
CC500	Collapsible Steel Pallet	1150^{L} x 975^{W} x 1005^{H} mm	Powder Coated Steel	500 kg

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 108 14/08/2019 15:59:10

NESTABLE ROLL CAGES

» Ideal for distribution and handling.

» Nestable design saves space when empty.

» Strong zinc plated steel.

» Available in a range of sizes and styles.

Code	Description	Dimensions	Material	Load Capacity
NRC3	3 Sided Nestable Roll Cage	735^{H} x 850^{W} x 1690^{L} mm	Zinc plated steel	600 kg
NRC4	4 Sided Nestable Roll Cage	735^{H} x 850^{W} x 1690^{L} mm	Zinc plated steel	600 kg
NRC/FC	4 Sided Full Security Roll Cage	735^{H} x 850^{W} x 1690^{L} mm	Zinc plated steel	600 kg
NRC/J	4 Sided Jumbo Nestable Roll Cage	1120^{H} x 765^{W} x 1770^{L} mm	Zinc plated steel	600 kg

DEMOUNTABLE ROLL CAGES

» Large capacity for collection and handling.

» Drop down door provides easy access.

» Strong zinc plated steel.

» Demountable design can be packed down to save space.

Code	Description	Dimensions	Material	Load Capacity
DRCS3	3 Sided Demountable Roll Cage	800^{H} x 715^{W} x 1520^{L} mm	Zinc plated steel	600 kg
DRCS4	4 Sided Demountable Roll Cage	800^{H} x 715^{W} x 1520^{L} mm	Zinc plated steel	600 kg
DRCM3	3 Sided Demountable Roll Cage	800^{H} x 715^{W} x 1815^{L} mm	Zinc plated steel	600 kg
DRCM4	4 Sided Demountable Roll Cage	800^{H} x 715^{W} x 1815^{L} mm	Zinc plated steel	600 kg
DRC/3J1	3 Sided Jumbo Demountable Roll Cage	1200^{H} x 800^{W} x 1820^{L} mm	Zinc plated steel	600 kg
DRC/4J1	4 Sided Jumbo Demountable Roll Cage	1200^{H} x 800^{W} x 1820^{L} mm	Zinc plated steel	600 kg

PLATFORM TROLLEYS

» Our range of popular manual handling trolleys are great in any workplace for transporting heavy loads.

» Designed with a plastic platform and steel handle.

» Plastic platform trolleys easily fold down when not in use to make them easy to store.

» Colour coded platforms help with product management and segregation.

Code	Description	External Dimensions	Load Capacity	Finish
PT03	Folding Plastic Platform Trolly	710^{H} x 460^{W} x 825^{L} mm	120 kg	Plastic
PT02	Folding Plastic Platform Trolly	800^{H} x 500^{W} x 835^{L} mm	200 kg	Plastic

SHELF TROLLEYS

Code	Description	Dimensions	Load Capacity	Shelf Clearance
SSTY2	Stainless 2 shelf trolley	1100^{H} x 700^{W} x 950^{L} mm	160 kg	585 mm
SSTY3	Stainless 3 shelf trolley	1100^{H} x 700^{W} x 950^{L} mm	200 kg	275 mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 110 14/08/2019 15:59:11

WEIGH SCALE PALLET TRUCK

» Integrated weigh scales allow you to accurately measure a pallet's weight.

» Water and dust proofing allows the pallet truck to be used outside or in lorries and it can be cleaned with water.

Code	Fork Length	Width Over Forks	Load Capacity
WPT01	1150 mm	545 mm	2000 kg

WPT01

HPT01

» HPT01 Pallet truck available in 4 sizes.

Code	Fork Length	Width Over Forks	Load Capacity
HPT01A	1000 mm	540 mm	2000 kg
HPT01B	1000 mm	680 mm	2000 kg
HPT01C	1150 mm	540 mm	2000 kg
HPT01D	1150 mm	680 mm	2000 kg

SSPT1

Code	Description	External Dimensions	Load Capacity
SSPT1	Stainless steel pallet truck	470^{H} x 495^{W} x 1100^{L} mm	2000 kg

STEEL SACK TRUCKS

» Hard wearing finish.

» Wheel guards.

» Knuckle guard hand grips.

» Cost effective for general warehousing requirements.

ESTO1

APSTO1

Code	Description	Dimensions	Toe plate	Load Capacity	Weight	Wheels
ESTO1	Economy sack truck	445^{L} x 480^{W} x 1135^{H} mm	200^{L} x 350^{W} mm	150 kg	11.5 kg	200^{D} mm plastic tyre
APSTO1	All purpose sack truck	435^{L} x 545^{W} x 1120^{H} mm	185^{L} x 350^{W} mm	250 kg	11 kg	250^{D} mm air filled rubber tyre

www.fletchereuropean.co.uk

Fletcher 2020.indd 111 14/08/2019 15:59:13

- » Epoxy powder coated coloured deck.
- » Bright zinc plated mesh sides.
- » Rubber tyre wheels with zinc plated centres and roller bearings.
- » 700 kg weight loading.
- » Optional brake castors & bumper strips.
- » Removable side panels.

Code	Description	Dimensions (mm)	Clear Load Area (mm)
EP601M	Single End	1000^{L} x 600^{W} x 985^{H}	930^{L} x 600^{W}
EP602M	Double End	1000^{L} x 600^{W} x 985^{H}	860^{L} x 600^{W}
EP603M	3 Sided	1000^{L} x 600^{W} x 985^{H}	860^{L} x 555^{W}
EP604M	4 Sided	1000^{L} x 600^{W} x 985^{H}	860^{L} x 510^{W}
EP701M	Single End	1000^{L} x 700^{W} x 985^{H}	930^{L} x 700^{W}
EP702M	Double End	1000^{L} x 700^{W} x 985^{H}	860^{L} x 700^{W}
EP703M	3 Sided	1000^{L} x 700^{W} x 985^{H}	860^{L} x 655^{W}
EP704M	4 Sided	1000^{L} x 700^{W} x 985^{H}	860^{L} x 610^{W}
EP801M	Single End	1200^{L} x 800^{W} x 1130^{H}	930^{L} x 800^{W}
EP802M	Double End	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 800^{W}
EP803M	3 Sided	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 755^{W}
EP804M	4 Sided	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 710^{W}

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2020.indd 112 14/08/2019 15:59:14

PLATFORM TRUCKS

Code	Description	Dimensions (mm)	Clear Load Area (mm)
SP600	Mobile Base Only	1000^{L} x 600^{W} x 295^{H}	1000^{L} x 600^{W}
SP601M	Single End	1000^{L} x 600^{W} x 985^{H}	930^{L} x 600^{W}
SP602M	Double End	1000^{L} x 600^{W} x 985^{H}	860^{L} x 600^{W}
SP603M	3 Sided	1000^{L} x 600^{W} x 985^{H}	860^{L} x 555^{W}
SP604M	4 Sided	1000^{L} x 600^{W} x 985^{H}	860^{L} x 510^{W}
SP700	Mobile Base Only	1000^{L} x 700^{W} x 295^{H}	1000^{L} x 700^{W}
SP701M	Single End	1000^{L} x 700^{W} x 985^{H}	930^{L} x 700^{W}
SP702M	Double End	1000^{L} x 700^{W} x 985^{H}	860^{L} x 700^{W}
SP703M	3 Sided	1000^{L} x 700^{W} x 985^{H}	860^{L} x 655^{W}
SP704M	4 Sided	1000^{L} x 700^{W} x 985^{H}	860^{L} x 610^{W}
SP800	Mobile Base Only	1200^{L} x 800^{W} x 295^{H}	1000^{L} x 800^{W}
SP801M	Single End	1200^{L} x 800^{W} x 1130^{H}	930^{L} x 800^{W}
SP802M	Double End	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 800^{W}
SP803M	3 Sided	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 755^{W}
SP804M	4 Sided	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 710^{W}

- » High specification platform trucks for the food and drink industry.
- » 200 mm rubber tyre wheels fitted.
- » Available with 1, 2, 3 or 4 sides or base only.
- » Manufactured from 304 grade stainless steel.
- » Economical zinc plated versions are also available.
- » 500 kg weight loading
- » Mesh panel height of 480 mm.
- » Deck height of 295 mm.

PLATFORM LIFT TABLES

- » The powder coated finish makes for a great cost effective option.
- » Great stability and manoeuvrability when it comes to heavy duty use.
- » Easy to use foot pump for lifting platform.
- » Hand lever to release and lower platform.
- » Safe to use at any extension height.
- » Swivel castors are fitted with brakes as standard.
- » SLT150 has a folding handle.

Code	Platform Dimensions	Closed / Raised Height	Handle Height	Weight	Max. Load
SLT150	700^L x 450^W mm	225 / 740 mm	935 mm	43 kg	150 kg
SLT500	1600^L x 800^W mm	310 / 910 mm	970 mm	134 kg	500 kg
SLT1500	1220^L x 610^W mm	420 / 1010 mm	970 mm	142 kg	1500 kg

*Other sizes are available on request.

STAINLESS STEEL PLATFORM LIFT TABLES

- » Suitable for a variety of lifting and loading operations.
- » Robust structure yet lightweight.
- » Fitted with two braked castors for increased safety.
- » Perfect for pharmaceutical, food and beverage industries.

Code	Platform Dimensions	Closed / Raised Height	Handle Height	Weight	Max. Load
SSL100	700^L x 450^W mm	265 / 790 mm	1000 mm	41 kg	100 kg
SSL200	830^L x 500^W mm	310 / 925 mm	1075 mm	78 kg	200 kg
SSL500	1010^L x 520^W mm	430 / 1010 mm	1090 mm	118 kg	500 kg

IBC AND DRUM SPILL CONTAINMENT

» Liquid storage and bunding products in durable polyethylene material.

» Ideal for bunding liquids from 27.5 litres up to 1100 litres.

» Cover audit requirements to keep storage receptacles out of direct contact with the floor.

» Ideal for un-drained areas.

» One piece bund designs for totally watertight application.



Code	Description	Dimensions	Weight	Capacity	Drum Size
BP1	Bund pallet	800^{L} x 600^{W} x 450^{H} mm	22 kg	225 litres	1 x 250 litres
BP2	Bund pallet	1220^{L} x 820^{W} x 330^{H} mm	34 kg	240 litres	2 x 205 litres
BP3	Bund pallet	1785^{L} x 780^{W} x 240^{H} mm	35 kg	228 litres	3 x 205 litres
BP4	Bund pallet	1310^{L} x 1310^{W} x 370^{H} mm	44 kg	410 litres	4 x 205 litres
BP4L	Bund pallet	1280^{L} x 1280^{W} x 275^{H} mm	25 kg	205 litres	4 x 250 litres
BF2	Bund flooring	1260^{L} x 860^{W} x 150^{H} mm	20 kg	150 litres	2 x 205 litres

Code	Description	Dimensions	Weight	Capacity	Drum Size
BF4	Bund pallet	1660^{L} x 1260^{W} x 150^{H} mm	41 kg	300 litres	4 x 205 litres
BB1	IBC bund	1760^{L} x 1350^{W} x 710^{H} mm	107 kg	1100 litres	1 x 1000 litres
BB1T	Overflow tray for use with BB1	550^{L} x 545^{W} x 855^{H} mm	8.5 kg	86 litres	1 x 1000 litres
BB1D	Big bund	1890^{L} x 1385^{W} x 580^{H} mm	70 kg	1100 litres	1 x 1000 litres
BB2	Double IBC bund	2560^{L} x 1350^{W} x 510^{H} mm	136 kg	1140 litres	2 x 1000 litres or 8 x 205 litres
BP2HC	Hard covered bund	1490^{L} x 990^{W} x 1690^{H} mm	85 kg	230 litres	2 x 205 litre drums
BP4HC	Hard covered bund	1470^{L} x 1420^{W} x 2070^{H} mm	121 kg	410 litres	4 x 205 litre drums

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2020.indd 116 14/08/2019 15:59:25



» Racking not included

Code	Description	Dimensions	Weight	Capacity	Drum Size
RB1	Racking bund accepts 1200 x 1000 mm UK pallet of product	1310^{L} x 1310^{W} x 245^{H} mm	25 kg	220 litres	N/A
rotoXT02	Bund for a 20 litre steel drum	425^{D} x 300^{H} mm		31 litres	1 x 20 litres
BB50	Spill tray	715^{L} x 460^{W} x 110^{H} mm	5.5 kg	27.5 litres	2 x 25 litres
BB25	Spill tray	550^{L} x 550^{W} x 110^{H} mm	5 kg	27.5 litres	1 x 25 litres
BB100	Spill tray	920^{L} x 720^{W} x 175^{H} mm	15 kg	100 litres	4 x 25 litres
BTTR1	Bund trolley	900^{L} x 700^{W} x 980^{H} mm	18 kg	100 litres	4 x 25 litres
BT230	Bund trolley	1600^{L} x 740^{W} x 640^{H} mm	44 kg	230 litres	1 x 205 litres

WTBUND100

WTBUND500

Bunds

Screw on cap

Tank markings

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 118

14/08/2019 15:59:31

LIQUID STORAGE TANKS

Code	Dimensions	Capacity	Bund Option
WT25	340^{L} x 250^{W} x 355^{H} mm	25 litres	rotoXB1915
WT50	425^{D} x 500^{H} mm	50 litres	WTBUND50
WT100	500^{D} x 680^{H} mm	100 litres	WTBUND100
WT200	655^{D} x 795^{H} mm	200 litres	WTBUND200
WT300	655^{D} x 1030^{H} mm	300 litres	WTBUND300
WT500	800^{D} x 1160^{H} mm	500 litres	WTBUND500
WT1000	1060^{D} x 1385^{H} mm	1000 litres	WTBUND1000

- » Rotationally moulded from hard wearing and robust plastic.
- » Compatible with a number of different liquids and chemicals, these tanks are commonly used for chemical dosing.
- » Ideal for water treatment and management industries.
- » Designed with integrated volumetric gauge to measure contents.
- » Comes with tight fitting plastic screw cap.
- » Each tank bund offers 110% volume of the corresponding dosing tank to prevent spillages or leaks.

WHEELIE BINS

- » Optional fork lift pocket and side trunnions can be fitted.
- » Supplied with heavy duty wheels and axles for longevity.
- » Flat and roll top options for CR1100GB.
- » Recycling lid options on request.
- » Full printing service available.

Code	External Dimensions	Capacity
CR80GB	445^{L} x 525^{W} x 930^{H} mm	80 litres
CR120GB	555^{L} x 480^{W} x 930^{H} mm	120 litres
CR240GB	740^{L} x 580^{W} x 1070^{H} mm	240 litres
CR360GB	856^{L} x 620^{W} x 1095^{H} mm	360 litres

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2020.indd 120
14/08/2019 15:59:39

Code	External Dimensions	Capacity
CR660GB	770^{L} x 1360^{W} x 1170^{H} mm	660 litres
CR1100GB	1080^{L} x 1360^{W} x 1470^{H} mm	1100 litres

5 Colour Options

NEW PRODUCT

GALVANISED WHEELIE BIN

- » Available as standard in galvanised steel finish.
- » Powder coated colour variants are available to suit your needs.
- » Galvanised steel structure makes this bin tough and durable for industrial applications.
- » Internally welded seams prevent water penetration.

Code	External Dimensions	Capacity
GALV1100	870^{L} x 1250^{W} x 1355^{H} mm	1100 litres

GRIT BINS

- » Heavy duty, durable plastic with a rigid structure to withstand heavy contents.
- » Produced from UV stabilised polyethylene.
- » Available in various colours.
- » Strong through-rod hinge system to combat vandalism.
- » Lockable
- » Fork liftable from base.

Code	Description	Dimensions	Capacity
GB200	200 litre Supertuff Grit bin	1080^{L} x 670^{W} x 695^{D} mm	200 litres
GB350	350 litre Supertuff Grit bin	1175^{L} x 790^{W} x 795^{D} mm	350 litres

GB200

GB350

GB51

GB52

GB53

Snow Scoops

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 122 14/08/2019 15:59:50

LARGE CAPACITY ROUND BIN

This hard wearing large 118 litre LBIN02 round bin is made from durable polyethylene plastic.

- » Measuring 510^{D} x 960^{H} mm.
- » Tough plastic construction with seamless watertight base.
- » Lid and base available in a choice of colours.
- » Supplied with rigid plastic liner.
- » Suitable for internal or external use.
- » The black colour option is made from recycled plastic.

6 Colour Options

LBIN02

SUPERTUFF SQUARE BIN

This 45 litre LBIN01 square bin is made from robust polyethylene plastic.

- » Measuring 375^{W} x 375^{D} x 870^{H} mm.
- » Strong and durable plastic construction.
- » Square design allows bins to be pushed up against walls and into corners.
- » Supplied with rigid plastic liner.
- » Suitable for indoor or outdoor use.
- » The black colour option is made from recycled plastic.

LBIN01

6 Colour Options

Fletcher 2020.indd 123 14/08/2019 15:59:50

LITTER BINS

- » Certified to BS En ISO 14001 quality standard.
- » Complete range of litter bins for all environments.
- » Fully colour codable.
- » Moulded from tough, durable polyethylene material.
- » Ballast options also available.



Regent 30/50L

- » Optional hood available.
- » Wall kit included (post banding extra).
- » Liner is locked in.

Code	Dimensions	Capacity	Liner
Regent 30L	395^{W} x 235^{D} x 525^{H} mm	30 litres	Galvanized steel
Regent 50L	430^{W} x 290^{D} x 645^{H} mm	50 litres	Galvanized steel

Octaplus 84L

Heritage 100L

Viscount

Envirobin 100L

Octaplus 120L

Metro 100L

Consort 100L

Pioneer

Code	Size	Capacity	Liner	Lock	Stability	Smoking
Consort 100L	560^{D} x 1075^{H} mm	100 litres	Galvanized steel or recycled plastics	Key activated plunge lock	Integral ballast filling or ground fixing	Optional stubber plate or ashtray
Metro 100L	547^{D} x 1082^{H} mm	100 litres				
Heritage 100L	570^{D} x 1072^{H} mm	100 litres				
Octaplus 84L	460^{D} x 965^{H} mm	84 litres	Galvanized steel			
Viscount	522^{D} x 836^{H} mm	110/130 litres	Galvanized steel			
Octaplus 120L	680^{D} x 1169.5^{H} mm	130 litres	Galvanized steel			
Envirobin 100L	448^{W} x 448^{D} x 900^{H} mm	100 litres	Standard polythene sack	No	Free Standing	n/a
Pioneer	430^{W} x 290^{D} x 645^{H} mm	130 litres	Galvanized steel	4 point locking system	Integral ballast filling or ground fixing	Stubber plate or optional ashtray

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 124 14/08/2019 15:59:52

SLIM JIM BINS

- » In capacities of 60 or 87 litres, both bins fit securely on the SLIMDOL.
- » Venting channels make removing bin liners 80% easier
- » Both bins come in grey with a choice of coloured lids.
- » Base and rim handles improve grip and control when lifting.
- » Lids are interchangeable between both bin sizes.

Code	Dimensions	Capacity	Dolly Code
SLIM60	558^{L} x 279^{W} x 635^{H} mm	60 litres	SLIMDOL
SLIM87	558^{L} x 279^{W} x 762^{D} mm	87 litres	SLIMDOL

» Other coloured lids available

SLIMLIDPT

SLIMLIDMR

SLIMLIDBT

SLIMLIDHL

SLIMLIDHT

SLIMLIDSL

MINI ENVIROBIN - 55 LITRES

Slim-line range to suit the smaller office or classroom where space is a premium measuring only 302^{L} x 523^{W} x 660^{H} mm.

A B C D E

A Confidential paper (locking)	C Paper
B General waste	D Aluminium cans
	E Plastic bottles

MAXI ENVIROBIN - 140 LITRES

High capacity internal and external unit with front door opening for easy bagged load extraction. Available with locks. Measuring 500^{L} x 615^{W} x 1220^{H} mm

M N O P Q

M Confidential paper (locking)	O Aluminium cans
N Paper	P Plastic bottles
	Q General waste

RB55

RB140

STANDARD ENVIROBIN - 100 LITRES

The range uses a common grey/white base unit & offers a choice of colour coded lid designs. Includes a flip-top option for general waste & locking for confidential paper. Measuring 448^{L} x 448^{W} x 807^{H} mm

RB100

G Paper	
H Aluminium cans	
I Plastic bottles	
J Spilt envirobin 2 x 50 litres (specify waste streams)	

G H I J



Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2020.indd 126 14/08/2019 15:59:59

BOTTLE SKIPS

» We manufacture a range of plastic bottle skips ideal for the catering trade, hospitality and a host of handling applications within many other industries.

» Commonly found within pubs, restaurants, bars, clubs and at events, they are often used for the collection and storage of used or empty glass bottles.

» Rotationally moulded out of polyethylene, our bottle skips are incredibly tough and durable which makes them ideal for busy and demanding environments.

» Easy to handle and manoeuvre making them adaptable to any bar, big or small, where space is at a premium.

FEATURES

» Watertight and durable.

» Inter-stacking design with easy-release feature.

» 5 industry standard sizes.

» Lightweight design allows them to be easily emptied by hand.

» Moulded-in fixings securely hold the wheels.

» Mounted on four 50 mm swivel casters.

» The seamless construction is easy to clean.

» Great value item.

» Special colours made to order.

Code	Dimensions	Capacity
MO1B	660^{L} x 470^{W} x 690^{D} mm	125 Litres
MO2B	660^{L} x 455^{W} x 795^{D} mm	130 Litres
MO3B	815^{L} x 455^{W} x 670^{D} mm	160 Litres
MO4B	660^{L} x 620^{W} x 695^{D} mm	185 Litres
MO5B	970^{L} x 360^{W} x 670^{D} mm	160 Litres

SAFETY STEPS

- » Kick Steps manufactured from quality steel for maximum safety and durability.
- » Universal kick step, ideal for use the in workplace.
- » Snap-lock quick assembly.
- » Mounted on 3 retractable polypropylene castors.
- » Will not slide, roll or tip over.

Code	Dimensions	Load Capacity	Weight
KA003Z	490^{H} x 450^{W} x 1000^{L} mm	125 kg	4.5 kg

STAINLESS STEEL STEPS

- » Stainless steel safety steps offer great accessibility.
- » Supported on four swivel castors providing excellent manoeuvrability.
- » Stainless steel design is ideal for high care and production sensitive environments.
- » Ideal for food, pharmaceutical and other industrial applications.

Code	Dimensions	Platform Height (at top tread)	Weight	Steps	Material
S215	710^{L} x 790^{W} x 1425^{H} mm	765 mm	14 kg	3	Stainless steel
S216	885^{L} x 790^{W} x 1683^{H} mm	1016 mm	17 kg	4	Stainless steel
S217	1140^{L} x 790^{W} x 1940^{H} mm	1270 mm	20 kg	5	Stainless steel

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 128 14/08/2019 16:00:03

THE SUPERTUFF SAFETY STEP

Combines durability with style, to offer a robust and hard wearing unit that would look good in any workplace. Built to last, this unit offers a safe platform ideal for use in almost any environment such shops, storerooms, factories, warehouses, library's and supermarkets.

- Anti-slip tape, provides grip on the top surface and each of the in-steps.
- The large square base ensures a very stable platform.
- In-steps allow four way access.
- Incredibly strong and durable.
- One piece moulding, no loose or breakable parts.
- Stylish design available in a wide choice of colours.
- Large recessed label area can be used to brand the step with company logo or messages.
- Units inter stack to save space in storage or during transportation.
- Plastic construction will not corrode and requires no maintenance.

Code	Dimensions	Platform
STSS01	460^{L} x 460^{W} x 365^{H} mm	370^{L} x 370^{W} mm

RECYCLED PLASTIC MOBILE TRUCKS

» Our plastic container trucks are a key product manufactured from recycled plastic.

» Made as standard in black, however they are also available in recycled red, green and blue plastic. Each is available with a matching coloured lid if required.

» Available at a cost effective price!

» The three largest models are fitted with an underside baseboard to support extra heavy loads.

» If required, strong plastic STH01 handles can be fitted to our four largest mobiles.

Code	External Dimensions	Top Internal Dimensions	Base Internal Dimensions	Load	Capacity	Lid Code	Castor Setup
rotoXM16REC	460^{L} x 460^{W} x 480^{H} mm	412^{L} x 412^{W} x 412^{H} mm	380^{L} x 380^{W} x 412^{H} mm	40 kg	72 litres	rotoXL26	4 x 50 mm swivel
rotoXM26REC	460^{L} x 460^{W} x 730^{H} mm	412^{L} x 412^{W} x 662^{H} mm	370^{L} x 370^{W} x 662^{H} mm	60 kg	118 litres	rotoXL26	4 x 50 mm swivel
rotoXM30REC	620^{L} x 530^{W} x 705^{H} mm	552^{L} x 467^{W} x 582^{H} mm	520^{L} x 425^{W} x 582^{H} mm	120 kg	135 litres	rotoXL30	4 x 100 mm swivel
rotoXM45REC	825^{L} x 480^{W} x 785^{H} mm	740^{L} x 410^{W} x 647^{H} mm	700^{L} x 360^{W} x 647^{H} mm	150 kg	200 litres	rotoXL45	2 swivel, 2 fixed 100 mm
rotoXM50REC	830^{L} x 640^{W} x 740^{H} mm	755^{L} x 555^{W} x 600^{H} mm	730^{L} x 530^{W} x 600^{H} mm	180 kg	227 litres	rotoXL50	2 swivel, 2 fixed 100 mm
rotoXM70REC	1010^{L} x 685^{W} 735^{H} mm	903^{L} x 584^{W} x 595^{H} mm	840^{L} x 530^{W} x 595^{H} mm	220 kg	320 litres	rotoXL70	2 swivel, 2 fixed 100 mm
rotoXM100REC	1370^{L} x 775^{W} x 765^{H} mm	1225^{L} x 615^{W} x 630^{H} mm	1165^{L} x 570^{W} x 630^{H} mm	275 kg	455 litres	rotoXL100	2 swivel, 2 fixed 100 mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2020.indd 130 14/08/2019 16:00:12



OUR ENVIRONMENTAL POLICY

- As a plastics manufacturer, plastic waste is something which is inevitably produced during the manufacturing process.
- We subsequently segregate this plastic waste into coloured groups which are then fed through our granulating system.
- The granulating system is a process by which sizeable pieces of plastic off cuts and trimmings are reduced in size to much smaller flakes.
- Once we accumulate enough of these smaller pieces we return them to our polymer supplier. The material is then reprocessed into powder form by the supplier and delivered back to our site ready for use in future products.
- This recycled powder is used to produce a range of recycled products for non-food contact.
- We strongly promote this closed loop process to help manage and control our footprint on the environment as well as doing our part to be an environmentally friendly company.
- Away from our manufacturing process, we monitor and segregate all other forms of waste and despatch it to be recycled where appropriate.

FLETCHER EUROPEAN

www.fletchereuropean.co.uk

Fletcher 2020.indd 131 14/08/2019 16:00:14

MADE IN GREAT BRITAIN

Fletcher European Containers Ltd
47/51 Sanders Road, Finedon Road
Industrial Estate, Wellingborough,
Northamptonshire, NN8 4NL

www.fletchereuropean.co.uk

Tel: 01933 440 446 sales@fletchereuropean.co.uk

ROTOX™

FLETCHER FLETCHER FLE

EUROPEAN EUROPEAN EUR

2020 Edition